

AJAX

TRAILERS, LLC

Summer 2017

AJAX
TRAILERS, LLC

PARTS & SERVICE

2089 E. 10 Mile Rd.

Warren, MI 48091

586-757-7676

TABLE OF CONTENTS

A: COUPLERS/JACKS/WINCHES/CHAINS

	PAGE		PAGE
• Couplers	A-1	• Jacks	A-5
• Chains	A-3	• Jack Parts & Accessories	A-8
• Hooks	A-4	• Winches & Accessories	A-10

B: TOWING ACCESSORIES

	PAGE		PAGE
• Trailer Hitch Balls	B-1	• Ball Mounts	B-6
• Pintle Hooks & Mounts	B-2	• Lunette Eye & Channels	B-8
• Swivel Type Pintle Hooks	B-4	• Receiver Tubes/Extensions/Adapters	B-9
• Tow Rings/Lunette Eye Drawbars	B-5	• Hitch Pin, Snapper Pin, Linch Pin	B-10

C: BODY COMPONENTS

	PAGE		PAGE
• Fenders	C-1	• Gate & Side Rack Accessories	C-6
• Ramp Hinges	C-4	• Vents	C-7
• Ramp Spring Assemblies	C-5	• Door Accessories	C-8

D: CARGO CONTROL

	PAGE		PAGE
• Anchor Shackles	D-1	• D-Rings	D-4
• Load Binder & Safety Chain	D-1	• Rope Rings	D-5
• E-Track	D-2	• Wheel Chocks	D-6
• Tie-Down Straps	D-3		

E: ACCESSORIES

	PAGE		PAGE
• Locks (Coupler & Drawbar)	E-1	• Document Holders	E-3
• Locks (Cargo)	E-2	• Emergency Triangles	E-3
• Ball Mount Pins & Locks	E-2	• Road Flares	E-3

F: LIGHTS & ELECTRICAL

	PAGE
• Electrical (Plugs & Harnesses)	F-1
• Plug Mounting Brackets/Covers	F-3
• Plug Adapters	F-4
• 3-Bar Light Assemblies	F-5
• Clearance Marker Lights	F-6
• Back-Up & Turn Lamps	F-9
• Fender Lights	F-10

	PAGE
• Tail Lights	F-11
• L.E.D. Tail/Signal/Marker Lights	F-13
• Dome & Utility Lights	F-15
• Reflectors	F-16
• License Plate Lights & Brackets	F-17
• Light Guards & Mounting Brackets	F-18
• Fuses	F-19

G: BRAKE ACTUATORS/CONTROLLERS/BREAK-AWAY KITS

	PAGE
• Brake Controllers/Harnesses	G-1
• Break-Away Kits	G-2

	PAGE
• Brake Actuators	G-3
• Hydraulic Lines & Piping Kits	G-6

H: TIRES & WHEELS

	PAGE
• Tire & Wheel Assemblies	H-1
• Wheels	H-3

	PAGE
• Tire & Wheel Accessories	H-4

I: AXLE COMPONENTS

	PAGE
• Bearings	I-1
• Races	I-2
• Seals	I-3
• Grease Caps & Oil Caps	I-4
• Electric Brakes	I-6
• Hydraulic Brakes	I-7

	PAGE
• Wheel Studs	I-8
• Wheel Bolts/Nuts/Clamps	I-9
• Axles & Hubs: 1,000-2,200 lbs	I-10
• Axles & Hubs: 2,300-3,500 lbs	I-13
• Axles & Hubs: 5,200-7,000 lbs	I-17
• Axles & Hubs: 8,000 lbs	I-20

J: SUSPENSION

	PAGE
• U-Bolts/Plates/Kits	J-1
• Springs	J-4
• Bushings	J-6
• Suspension Bolts	J-7

	PAGE
• Cast Equalizers	J-8
• Steel Fabricated Equalizers	J-9
• Shackle Links	J-10
• Spring Hangers	J-11

SECTION A:

COUPLERS/JACKS/ WINCHES/CHAINS



COUPLERS-BOLT ON

A



B



C



D



E



F



G



PART#	DESCRIPTION	STYLE
01-11200	Coupler, Class I, 1-7/8" Ball, 2" Channel, 2000 lbs. - Zinc	A
01-11250	Coupler, Class I, 1-7/8" Ball, 2-1/2" Channel, 2000 lbs. - Zinc	A
01-11300	Coupler, Class I, 1-7/8" Ball, 3" Channel, 2000 lbs. - Zinc	A
01-22200	Coupler, Ball Size 2", 2" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	B
01-22250	Coupler, Ball Size 2", 2-1/2" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	B
01-22300	Coupler, Ball Size 2", 3" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	B
01-34300	Fulton Coupler, 2" Ball, 5,000 lb Capacity	C
01-A200S0303	2" Adjustable Coupler, 8,000 lb Capacity	D
01-A256S0303	2-5/16" Adjustable Coupler, 14,000 lb Capacity	D
01-0091562	Heavy-Duty 2-5/16" Cast Coupler w/3" Channel, Zinc & Clear Chromate Finish, 15,000 lb Capacity	E
01-0090108	2-5/16" Coupler , 15,000 lb Capacity	F
01-0091558	2-5/16" Cast Coupler, Channel Mount, Auto Latch, 15,000 lb Capacity	G

COUPLERS-WELD ON



A



B



C



D

PART#	DESCRIPTION	STYLE
01-33305	2" A-Frame Coupler 5,000 lb Capacity	A
01-CA5210B	2" A-Frame Coupler 8,000 lb Capacity-Yoke Style	B
01-CA5400	2-5/16" A-Frame Coupler 14,000 lb Capacity, Oily Finish	C
01-17500	Titan Coupler, 2-5/16" Ball, 20,000 lb Capacity, Weld-On	D

SAFETY CHAINS WITH CLEVIS HOOKS



**Each chain must meet trailer GVWR*

PART#	MINMUM BREAK FORCE	TOTAL LENGTH	DESCRIPTION
02-80302	7,800 lbs*	35"	1/4" x 32" grade 43 plus (1) 1/4" hook
02-80304	18,800 lbs*	35"	5/16" x 32" grade 70 plus (1) 5/16" hook
02-80314	11,700 lbs*	35"	5/16" x 32" grade 43 plus (1) 5/16" hook
02-BSC3835	16,200 lbs*	35"	3/8" x 31" grade 43 plus (1) 3/8" hook
02-80316	24,000 lbs*	35"	3/8" x 31" grade 70 plus (1) 3/8" hook

SAFETY CHAIN WITH LATCH S-HOOKS



PART#	MINMUM BREAK FORCE	TOTAL LENGTH	DESCRIPTION
02-80312	2,000lbs	27"	3/16" x 24" grade 30 plus (1) 3/8" S-hook
02-80313	5,000 lbs	27"	1/4" x 24" grade 30 plus (1) 7/16" S-hook

SAFETY CHAIN WITH S-HOOKS



PART#	MINMUM BREAK FORCE	TOTAL LENGTH	DESCRIPTION
02-80010	2,000lbs	48"	3/16" x 41" grade 30 plus (2) 3/8" S-hook
02-80030	5,000 lbs	48"	1/4" x 40" grade 30 plus (2) 7/16" S-hook

CLEVIS HOOKS WITH SAFETY LATCH

- Heat treated, forged steel
- Meets requirements for high test chain

PART#	GRADE	GTW	OPENING SIZE	DESCRIPTION
02-81900	43	7,800 lbs	1/2"	1/4" safety hook with latch
02-81550	43	14,000 lbs	3/4"	5/16" safety hook with latch
02-81560	43	18,000 lbs	1"	3/8" safety hook with latch
02-81960	70	24,000 lbs	1"	3/8" safety hook with latch
02-81910	43	35,000 lbs	1 1/4 "	1/2" safety hook with latch



GRAB HOOKS

- Heat treated, forged steel
- Meets requirements for high test chain

PART#	WORKING LOAD LIMIT	GRADE	DESCRIPTION
02-81330	2,600 lbs	43	1/4" clevis grab hook
02-81438	6,600 lbs	70	3/8" clevis grab hook



S-HOOKS WITH SAFETY LATCH


- Hooks must meet or exceed maximum GTW of your trailer
- Durable zinc finish

PART#	SAE CLASS	GTW	DESCRIPTION
02-2	Not for Towing	350 lbs	5/16" Safety Link
02-81266	1	2,000 lbs	3/8" S-hook with safety latch
02-81277	3	5,000 lbs	7/16" S-hook with safety latch
02-81288	3	5,000 lbs	9/16" S-hook with safety latch



JACKS

PRO SERIES STANDARD ROUND JACKS A-FRAME WITHOUT FOOTPLATE



PART#	CAPACITY	LIFT	RETRACTED HEIGHT	EXTENDED HEIGHT	CLEARANCE	TYPE OF WIND	STYLE
45-TJA2000	2,000 lbs	10"	8"	22.00"	11.00"	TOP	A
45-TJA2000LB (Low Bracket)	2,000 lbs	15"	5.5"	20.50"	16.00"	TOP	B
45-TJA2000S	2,000 lbs	14"	9"	23.00"	13.00"	SIDE	Not Shown
45-TJA5000	5,000 lbs	15"	10.80"	25.80"	14.55"	TOP	A

PRO SERIES STANDARD ROUND JACKS TUBULAR SWIVEL, WELD-ON WITH FOOTPLATE

PART#	CAPACITY	LIFT	RETRACTED HEIGHT	EXTENDED HEIGHT	CLEARANCE	TYPE OF WIND
45-TJP-2001P	2,000 lbs	10"	11.00"	21.00"	4.00"	TOP
45-TJP-2002P	2,000 lbs	15"	14.50"	29.50"	10.00"	TOP
45-TJP-2003P	2,000 lbs	10"	11.20"	21.20"	5.45"	SIDE
45-TJP-2004P	2,000 lbs	15"	14.40"	29.40"	12.25"	SIDE
45-TJP-5001P	5,000 lbs	10"	10.50"	20.50"	6.25"	SIDE
45-TJP-5002P	5,000 lbs	15"	15.50"	30.50"	6.25"	SIDE
45-TJP-5003P	5,000 lbs	10"	11.20"	21.20"	4.00"	TOP
45-TJP-5004P	5,000 lbs	15"	14.70"	29.70"	10.00"	TOP




PRO SERIES STANDARD ROUND JACKS RETAINING RING SWIVEL, WELD-ON WITH FOOTPLATE

PART#	CAPACITY	LIFT	RETRACTED HEIGHT	EXTENDED HEIGHT	CLEARANCE	TYPE OF WIND
45-TJB-2001B	2,000 lbs	10"	11.00"	21.00"	4.00"	Top
45-TJB-2005B*	2,000 lbs	10"	11.00"	21.00"	4.00"	Top
45-TJB-2002B	2,000 lbs	15"	14.50"	29.50"	10.00"	Top
45-TJB-2003B	2,000 lbs	10"	10.40"	20.40"	6.29"	Side
45-TJB-2004B	2,000 lbs	15"	14.40"	29.40"	12.25"	Side

**Same as TJB-2001B except has a bolt-on swivel bracket*



DROP LEG SQUARE JACKS (DIRECT WELD)



PART#	CAPACITY	LIFT	RETRACTED HEIGHT	EXTENDED HEIGHT	TYPE OF WIND	PIN LOCATION	BRAND	STYLE
45-19906	8,000 lbs	15"	25.20"	53.80"	Side	N/A	Pro Series	A
45-19907	8,000 lbs	15"	22.90"	51.50"	Top	N/A	Pro Series	A
45-TJD-7000	8,000 lbs	15"	23.5"	39.5"	Top	Multi	RAM	B
45-TJD-7000S	8,000 lbs	15"	25.5"	39.5"	Side	Multi	RAM	C
45-TJD 12K SP RIGHT	12,000 lbs	12.5"	27.25"	53.25"	Side	RIGHT	RAM	D
45-TJD 12K SP FRONT	12,000 lbs	12.5"	28.25"	54.25"	Side	FRONT	RAM	E
45-182304	12,000 lbs	12.5"	23.4"	49.4"	Top	N/A	Hammerblow	Not Shown

PIPE MOUNT-SQUARE JACK



PART#	CAPACITY	LIFT	RETRACTED HEIGHT	EXTENDED HEIGHT	TYPE OF WIND	BRAND	STYLE
45-195362	5,000 lbs	15"	15.1"	30.1"	Side	Hammerblow	A
45-19908	8,000 lbs	10"	17.20"	27.20"	Top	Pro Series	B
45-19909	8,000 lbs	10"	17.20"	27.20"	Side	Pro Series	C

JACKS BOLT-ON




PART#	CAPACITY	LIFT	RETRACTED HEIGHT	EXTENDED HEIGHT	CLEARANCE	TYPE OF WIND	CASTER/ FOOTPLATE	STYLE
45-EJ1000	1,000 lbs	10"	13.0"	23.0"	11.0"	Side	Caster	A
45-MJ1500B	1,500 lbs	10"	13.0"	23.0"	11.0"	Side	Caster	B
45-XPD15L	1,500 lbs	12"	13.1"	25.1"	12.4"	Side	Dual-Caster	C
45-TJB-2005B	2,000 lbs	10"	11.0"	21.0"	4.0"	Top	Footplate	D
45-6100z	2,500 lbs	28"	7.0"	35.5"	19.25"	Side	Footplate	E

JACK ACCESSORIES & REPLACEMENT PARTS

Handles

PART#	DESCRIPTION	STYLE
46-0091263	Replacement Handle-Top Wind	A
46-018917	Top-Wind Handle Red Knob	B
46-015181	Handle 12,000 Jacks-side Fits 10K & 12K Jacks	C
46-0933301S00	Fulton Handle Kit, TJ 503	D
46-0933305S00	Fulton Handle Kit 1200-1500 lbs	E
46-25526	Handle, Atwood Side Wind	F
46-28296	Black Knob w/cap	A (Knob Only)
46-28297	Red Knob w/cap	B (Knob Only)



Foot/Casters

PART#	DESCRIPTION	STYLE
46-18309L	Foot Pad- 7" Tall	G
46-5703	Foot Pad	H
46-0933323S00	Replacement Wheel Kit 8"	I
46-6811	Replacement Wheel 6" x 2"	J
45-555	Caster Wheel Fits 2K & 5K A-Frame Jacks 6" Wheel	K



Stabilizer Jacks

PART#	DESCRIPTION	STYLE
45-82301	Atwood Swing Down Stabilizer Jack	L
45-SJ2 0324	Stabilizer, 1.75" Sq. x 28.75", Adjusts from 25" to 37" Stabilizer	M
45-SJ4 0324	Stabilizer, 1.75" Sq. x 20", Adjusts from 18" to 28" Stabilizer	M



JACK ACCESSORIES & REPLACEMENT PARTS (Continued)

Mounting Brackets/Pins

PART#	DESCRIPTION	STYLE
46-003135	A-Frame Bottom Bracket	A
46-015183	Bar Support Bracket (For 12K Jack)	N/S
46-015184	Coupling (For 12K Jack Handle Extension)	N/S
46-015904	Retaining Snap Ring	C
46-0933307S00	Plunger Kit 1/2" S-Mount	G
46-11	Bracket Kit for Jack	N/S
46-20969	A-Frame Flange	B
46-3005524	Pin Assembly for Drop-Leg	D
46-3005528	Mount Assembly, Tube Jack	F
46-500103	Plunger Pin Kit 3/8"	G
46-500178	Plunger Pin 1/2"	D
46-500231	Pull Pin 5/8" x 3 1/2"	E
46-500232	Pull Pin 5/8" x 4 1/4"	E
46-5000243	Pull Pin 9/16"	E
46-701472	Pull Pin 9/16"-For Square Jack	E
46-500239	Weld-On Male Mount	H
46-9197	Weld-On Male Mount for 9/16" Pin	H
46-9814	Weld-On Male Mount for 5/8" Pin	H
46-015279	Male Mount 5/8" H, 3" OD	H



A



B



C



D



E



F




G



H

WINCHES



PART#	DESCRIPTION	CAPACITY	GEAR RATIO	CABLE CAPACITY	CABLE/STRAP/NOT INCLUDED	STYLE
05-KR1000	Brake Winch-Self Activating Automatic Brake	1,000 lbs	3.5:1	50 ft. 7/32" Diameter	Not Included	A
05-KR1500	Brake Winch-Self Activating Automatic Brake	1,500 lbs	5.1:1	50 ft. 7/32" Diameter	Not Included	A
05-HW800	Hand Winch	800 lbs	4.4:1	n/a	Strap	B
05-HW2000	Hand Winch	2,000 lbs	4.4:1 & 9.8:1	n/a	Strap	B
05-T1100	Single Speed Trailer Winch	1,100 lbs	4.4:1	n/a	Not Included	C
05-T1500Z	Single Speed Trailer Winch w/ Strap	1,500 lbs	4.4:1	n/a	Strap	D
05-T2005	Two Speed Trailer Winch	2,000 lbs	4.4:1 & 9.8:1	n/a	Not Included	E
05-T2605Z	Two Speed Trailer Winch	2,600 lbs	5.1:1 & 12.2:1	n/a	Strap	F
05-T32ZHD0301	Two Speed Trailer Winch	3,200 lbs	5.1:1 & 12.2:1	n/a	Strap	F

WINCH ACCESSORIES



PART#	DESCRIPTION	STYLE
05-WS20	Winch Strap & Hook-Nylon web winch with hook, 2"x 20', 2,600 lb. maximum working load	A
05-WS12	Personal Watercraft Winch Strap with Hook & Loop-includes loop Nylon web winch strap with hook, 2"x 20',	A
05-WS20HD	Heavy Duty Winch Strap and Hook-2" x 20', 10,000 lb. minimum breaking strength, 4,000 lb. maximum working load	B
05-325	Winch Cable & Hook-3/16" x 25' galvanized cable, 4,200 lb. breaking strength	C
05-750	Winch Cable & Hook-7/32" x 50' galvanized cable, 5,600 lb. breaking strength	C


SECTION B:

TOWING ACCESSORIES



TRAILER HITCH BALLS

PART#	BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	M.G.T.W.
08-1802103	1-7/8"	5/8"	1-3/4"	2,000
08-40001	1-7/8"	3/4"	1-1/2"	2,000
08-40015	1-7/8"	3/4"	2-1/8"	2,000
08-40016	1-7/8"	3/4"	3"	2,000
08-68316	1-7/8"	1"	2-1/8"	2,000
08-40002	1-7/8"	1"	2-1/8"	3,500
08-40017	1-7/8"	1"	3"	3,500
08-40019	2"	3/4"	3"	3,500
08-40018	2"	3/4"	2-1/8"	3,500
08-63845	2"	1"	2-1/8"	7,500
08-1802136	2"	1"	2-1/8"	10,000
08-40020	2"	1"	3"	3,500
08-2114	2"	1-1/4"	2-3/4"	10,000
08-2191	2"	1-1/4"	2-3/4"	13,000
08-63847	2-5/16"	1"	2-1/8"	7,500
08-63840	2-5/16"	1-1/4"	2-3/4"	20,000




PART#	DESCRIPTION
08-42225	Switch Ball Set-Ensemble Switch Ball Shank- 1" x 2-1/4" 1-7/8" Ball- 3,500 GTW 2" Ball- 6,000 GTW 2-2/16" Ball-8,000 GTW



PART#	DESCRIPTION
08-BC18	Ball Cover (Fits 1-7/8" & 2" Ball)
08-BC2516	Ball Cover (Fits 2-5/16" Ball)
08-B75	Ball Bushing (3/4" Shank to 1" Shank)
08-B8	Ball Bushing (1" Shank to 1-1/4" Shank)



PINTLE HOOKS – BOLT-ON




PART#	DESCRIPTION	BALL SIZE	M.V.L.	M.G.T.W.	STYLE
98-82000WMK	8-Ton Combination Hitch w/Mounting Kit	2"	3,000 lbs	16,000 lbs	A
98-82516WMK	8-Ton Combination Hitch w/Mounting Kit	2 5/16"	3,000 lbs	16,000 lbs	A
98-BH102000	10-Ton Combination Hitch	2"	4,000 lbs	20,000 lbs	B
98-BH102516	10-Ton Combination Hitch	2 5/16"	4,000 lbs	20,000 lbs	B
98-PH5WMK	5-TON Pintle Hook w/Mounting Kit	n/a	2,000 lbs	10,000 lbs	C
98-PH8WMK	8-TON Pintle Hook w/Mounting Kit	n/a	3,200 lbs	16,000 lbs	D
98-PH15WMK	15-TON Pintle Hook w/Mounting Kit	n/a	6,000 lbs	30,000 lbs	E
98-PH20WMK	20-TON Pintle Hook w/Mounting Kit	n/a	8,000 lbs	40,000 lbs	F
98-PH30	30-TON Pintle Hook	n/a	15,000 lbs	60,000 lbs	G

REPLACEMENT BALLS FOR BUYERS PINTLE HOOKS

PART#	DESCRIPTION
98-1780RB	1-7/8" Replacement Ball for "A"
98-2000RB	2" Replacement Ball for "A"
98-2516RB	2-5/16" Replacement Ball for "A"
98-RB102000	2" Replacement Ball for "B"
98-RB102516	2-5/16" Replacement Ball for "B"

PINTLE MOUNTS




PART#	SHANK DIMENSIONS	PLATE DIMENSIONS	PAIRS OF HOLES	M.V.L.	M.G.T.W.	STYLE
51-PM87	2" x 9"	5" x 7.38"	4	2,000 lbs	10,000 lbs	A
51-PM107	2" x 10.25"	5" x 7.38"	4	2,000 lbs	10,000 lbs	A
51-PM1012	2" x 14.5"	5" x 12.50"	7	2,000 lbs	10,000 lbs	B
51-PMHD14002	2" x 8-3/4"	5" x 7"	4	1,600 lbs	16,000 lbs	A
51-PMHD14004	2" x 12-3/4"	5" x 12"	7	1,600 lbs	16,000 lbs	B
51-48343	2" x 8"	6.5" x 7"	4	Not Ava.	17,000 lbs	C
51-48339	2-1/2" x 10"	6.5" x 7"	4	Not Ava.	20,000 lbs	C
51-38186	3" x 9"	5" x 9"	5	4,000	25,000	D

PINTLE HOOK WITH SHANK



PART#	DESCRIPTION	SHANK SIZE	BALL SIZE	M.V.L.	M.G.T.W.	STYLE
98-48004	10-Ton Pintle Hook	2"	No	Not Available	20,000 lbs	A
98-48010	10-Ton Pintle Hook	2-1/2"	No	Not Available	20,000 lbs	A
98-RM62000	6-Ton Receiver Mount Combination Hitch	2"	2"	2,400 lbs	12,000 lbs	B
98-RM62516	6-Ton Receiver Mount Combination Hitch	2"	2 5/16"	2,400 lbs	12,000 lbs	B
98-48012	10-Ton Receiver Mount Combination Hitch	2-1/2"	2 5/16"	Not Available	20,000 lbs	B


SWIVEL-TYPE PINTLE HOOKS



PART#	DESCRIPTION	M.V.L.	M.G.T.W.	STYLE
98-BP100A	15-Ton Forged Swivel-Type Pintle Hook	6,000 lbs	30,000 lbs	A
98-BP125A	15-Ton Forged Swivel-Type Pintle Hook	6,000 lbs	30,000 lbs	B
98-BP200	25-Ton Forged Swivel-Type Pintle Hook	6,000 lbs	50,000 lbs	C
98-BP225	25-Ton Forged Swivel-Type Pintle Hook	6,000 lbs	50,000 lbs	D
98-BP760A	Forged Heavy-Duty Swivel-Type Pintle Hook	12,000 lbs	60,000 lbs	E

**These are non-stock items*

TOW RINGS/LUNETTE EYE DRAWBARS




PART#	DESCRIPTION	I.D. EYE	O.D. EYE	SECTION DRAWBAR	M.V.L.	M.G.T.W.	STYLE
99-DB-1250-15W	Welded 4-bolt Mount Drawbar	2 1/2"	5 1/2"	1 1/2"	7,000 lbs	42,000 lbs	A
99-DB-1250-15	Forged 4-Bolt Mount Drawbar	2 1/2"	5 1/2"	1 1/2"	7,000 lbs	42,000 lbs	B
99-DB-1385	Heavy-Duty Forged 4-Bolt Mount Drawbar, .78" mounting hole size	3"	6.24"	1 5/8"	15,000 lbs	60,000 lbs	B
99-DB-1394	Heavy-Duty Forged 4-Bolt Mount Drawbar, .89" mounting hole size	3"	6.24"	1 5/8"	19,000 lbs	90,000 lbs	B
98-TNP716625750	Trailer Nose Plate (3/4" thick, (8) 21/32" holes)	N/A	N/A	N/A	N/A	N/A	C
98-TNP716750100	Trailer Nose Plate (1" thick, (8) 25/32" holes)	N/A	N/A	N/A	N/A	N/A	C
99-LW10	Forged Steel Drawbar	2 1/2"	4 1/2"	1"	1,000 lbs	10,000 lbs	E
99-DB-1228-1	Forged Steel Drawbar	2 1/2"	5"	1 1/4" x 1 1/2"	4,000 lbs	20,000 lbs	F
99-DB-1235	Forged Steel Drawbar	3"	6 1/4"	1 5/8"	7,000 lbs	35,000 lbs	F
99-DB-1238	Forged Alloy Steel Drawbar	3"	6 1/4"	1 5/8"	4,500 lbs	22,000 lbs	F
99-DB-1245	Forged Steel Drawbar	2.38"	5.64"	1 5/8"	8,000 lbs	40,000 lbs	F
99-DB-1250-3	Forged Alloy Steel Drawbar w/ Nut	2 1/2"	5 1/2"	1 1/4" x 1 1/2"	3,000 lbs	15,000 lbs	G
99-DB-1249-2H	Forged Alloy Steel Drawbar w/ Nut	3"	6 1/4"	1 5/8"	9,000 lbs	45,000 lbs	G
01-BDL253	Drawbar Lock	N/A	N/A	N/A	N/A	N/A	D

BALL MOUNTS

Class III Ball Mounts



A



B

PART#	DESCRIPTION	RATING GTW/TW	BALL HOLE SIZE	LENGTH	RISE	DROP	STYLE
51-127	Packaged (includes Pin & Clip) Fits 2" Square Receiver Tube Opening	7,500/750	1"	8-1/2"	3/4"	2"	A
51-139	Packaged (includes Pin & Clip) Fits 2" Square Receiver Tube Opening	7,500/750	1"	9"	2-3/4"	4"	A
51-21346	Quick Loading Ball Mount Fits 2" Square Receiver Tube Opening	7,500/750	1"	9-1/2"	4-3/4"	6"	B
51-21347	Quick Loading Ball Mount Fits 2" Square Receiver Tube Opening	5,000/500	1"	10"	6-3/4"	8"	B
51-21348	Quick Loading Ball Mount Fits 2" Square Receiver Tube Opening	5,000/500	1"	9"	*9-3/4" *rated 3,500	11"	B

Solid Forged Ball Mounts



A



B



C

PART#	DESCRIPTION	RATING GTW/TW	BALL HOLE SIZE	LENGTH	RISE	DROP	STYLE
51-40330	Solid One-piece Forged Construction Fits 2" Square Receiver Tube Opening	16,000/2,400	1-1/4"	8-1/2"	1"	2"	A
51-40331	Solid One-piece Forged Construction Fits 2" Square Receiver Tube Opening	16,000/2,400	1-1/4"	9-1/4"	3"	4"	B
51-40332	Solid One-piece Forged Construction Fits 2" Square Receiver Tube Opening	16,000/2,400	1-1/4"	10-1/4"	5"	6"	C

2-1/2 Ball Mounts



PART#	DESCRIPTION	RATING GTW/TW	BALL HOLE SIZE	LENGTH	RISE	DROP
51-45122	Fits 2-1/2" Square Receiver Tube Opening	14,000/1,400	1-1/4"	9-3/4"	1-1/2"	3"
51-45123	Fits 2-1/2" Square Receiver Tube Opening	13,000/1,300	1-1/4"	10"	3-1/2"	5"
51-45291	Fits 2-1/2" Square Receiver Tube Opening	13,000/1,300	1-1/4"	10-1/2"	-	7-3/4"
51-45456	Fits 2-1/2" Square Receiver Tube Opening	20,000/2,700	1-1/4"	8-1/2"	1/2"	1-3/4"
51-45458	Fits 2-1/2" Square Receiver Tube Opening	20,000/2,700	1-1/4"	8-1/2"	2-3/4"	4"

LUNETTE EYE & CHANNELS

A




B



C



D



PART#	DESCRIPTION	M.V.L.	M.G.T.W.	STYLE
99-16137	12.5-Ton Forged Eye, 3" ID	3,000 lbs	25,000 lbs	A
26-B18128	Eye w/ 3 Position Channel & Bolt Kit	2,700 lbs	14,000 lbs	B
26-08978	3-Position Channel Only	2,700 lbs	14,000 lbs	C
26-08979	5-Position Channel Only w/ Gussets	2,700 lbs	14,000 lbs	D
26-B9602	5-Position Heavy-Duty Channel Only	4,000 lbs	20,000 lbs	D
26-09020	Bolt & Nut Kit (2 each) 5/8-11 x 4 1/2 GR 8	N/A	N/A	E
26-09021	Bolt & Nut Kit (2 each) 5/8-11 x 5 GR 8	N/A	N/A	E

E



RECEIVER TUBES/EXTENSIONS/ADAPTERS

PART#	DIMENSIONS	STYLE
50-E-911	1 1/4" I.D. x 6" Tube	A
50-RT25806	2" I.D. x 6" Tube	A
50-RT25808	2" I.D. x 8" Tube	A
50-RT25812	2" I.D. x 12" Tube	A
50-RT25818	2" I.D. x 18" Tube	A
50-RT25824	2" I.D. x 24" Tube	A
50-RT25836	2" I.D. x 36" Tube	A
50-RT25848	2" I.D. x 48" Tube	A
51-1804055	2" I.D. x 6" Tube Bolt-on Mount	B
50-RT255808	2 1/2" I.D. x 8" Tube	A
50-RT255812	2 1/2" I.D. x 12" Tube	A
50-RT255818	2 1/2" I.D. x 18" Tube	A



PART#	DESCRIPTION	STYLE
51-RTA214	2" to 1 1/4" Receiver Tube Adaptor	C
51-RTA252	2 1/2" to 2" Receiver Tube Adaptor	D
51-58431	2-1/2" to 2" Reducer Bushing	E
51-1804030	1 1/4" to 2" Hitch Adaptor M.V.L. 300 lbs	F
51-1804035	2" to 1 1/4" Hitch Adaptor M.V.L. 300 lbs, G.T.W. 3,000 lbs	G



PART#	DESCRIPTION	M.V.L.	M.G.T.W.	STYLE
51-1804003	7" Extension for 2" Receiver	Reduces Hitch Capacity by 1/3		H
51-1804005	12" Extension for 2" Receiver	Reduces Hitch Capacity by 1/3		H
51-1804007	18" Extension for 2" Receiver	Reduces Hitch Capacity by 1/3		H



HITCH PINS

PART#	SIZE	STYLE
80-66100	1/2 x 4-1/4"	A
80-66102	9/16 x 2-3/4"	A
80-66103	5/8 x 4-1/4"	A
80-66105	5/8 x 6-1/4"	A
80-66115	3/4 x 6-1/4"	A
80-66120	7/8 x 6-1/4"	A
80-66125	1 x 6-1/4"	A
80-66130	1-1/8 x 6-1/4"	A
08-500	1/2" x 3"	B
08-613A	5/8" x 4" 3-1/2" usable	B
08-614A	5/8" x 4-1/2" 4" usable	B



A



B

SNAPPER PINS

PART#	SIZE (PIN DIAMETER X USEABLE LENGTH)
01-1416	1/4 x 1-3/4"
01-1422	1/4 x 2-1/2"
01-1435	1/4 x 3-1/2"
01-51622	5/16 x 2-1/2"
01-3822	3/8 x 2-3/8"
81-P11C (Pin w/ 8" chain)	1/4" x 1-1/2"



LINCH PINS

PART#	SIZE
80-66000	1/4" x 1-3/4"
80-66003	3/16" x 1-3/8"
80-66006	5/16" x 1-3/4"
80-66010	7/16" x 1-3/4"
80-66015	7/16" x 2"



SECTION C:

BODY COMPONENTS




FENDERS: SINGLE AXLE ROUND



PART#	WIDTH	LENGTH	HEIGHT	MATERIAL	TIRE
37-F55	5.5"	19.25"	5.25"	16GA Steel	8"
37-F775X28-1R	7.75"	28"	10"	16GA Steel	13", 14"
37-8431	9"	32"	15"	16GA Steel	14", 15"
37-F9X32-RWB	9"	32"	15"	16GA Steel (w/Back)	14", 15"
37-F9X32-1RTP	9"	32"	15.25"	14GA Steel TREADPLATE	14", 15"
37-1075X32-1R	10.75"	32"	15.25"	16GA Steel	14", 15"
37-F1075X36-1R	10.75"	36"	20"	16GA Steel	15", 16"
37-F13X36-1R	13"	36"	20"	16GA Steel	15", 16", 16.5"

FENDERS: SINGLE AXLE JEEP STYLE




PART#	WIDTH	LENGTH	HEIGHT	MATERIAL	TIRE
37-J8824	8"	24"	8"	16GA Steel	8", 12"
37-8383	10"	21"	8"	16GA Steel	10"
39-J101733AT	10"	34"	17"	Aluminum Treadplate	13" - 15"
37-8386	10"	36"	19.25"	16GA Steel	13"- 15"
39-011-1A	10"	36"	19.25"	.090 Aluminum	13"- 15"

FENDERS: TANDEM AXLE ROUND



No Teardrop in Center



Teardrop in Center


PART#	WIDTH	LENGTH	HEIGHT	MATERIAL	TIRE	STYLE
37-357040	9"	66"	19.75"	16GA Steel	14", 15"	Teardrop
37-8461	9"	72"	20.5"	16GA Steel	15", 16"	No Teardrop
37-8471	9"	72"	20.5"	16GA Steel	15"- 16"	Teardrop
39-830-A	9"	72"	20.5"	.090 Aluminum	15", 16"	Teardrop
37-8473	10"	58"	9"	16GA Steel	13"	No Teardrop
37-8465	10.75"	72"	20.5"	16GA Steel	15", 16"	Teardrop
39-840-A	10.75"	72"	20.5"	.090 Aluminum	15", 16"	Teardrop

FENDERS: TANDEM AXLE JEEP STYLE



PART#	WIDTH	LENGTH	HEIGHT	MATERIAL	TIRE
37-8388	10"	69"	19"	16GA Steel	13"- 15"
37-J101972-TP	10"	72"	19"	14GA Steel TREADPLATE	15", 16"

FENDERS: FLARE



PART#	WIDTH	LENGTH	HEIGHT	MATERIAL	TIRE
39-895	1-3/16"	72"	20"	.080 ALUM	14", 15"
39-8001	2.5"	72"	20"	.080 ALUM	14", 15"
39-9001	4.5"	72"	20"	.080 ALUM	14", 15"

RAMP HINGES



A



B



C



D



E

PART#	DESCRIPTION	STYLE
61-HB1	4" U-Bracket Hinge Assembly (includes 9/16" bolt)	A
61-2308	8" Long Hinge Assembly (3/4" Rod, 1" Roll)	B
61-2312	12" Long Hinge Assembly (3/4" Rod, 1" Roll)	C
61-230060	9" Long Hinge Assembly w/ Zerk (3/4" Rod, 1" Roll)	D
61-B2426FSL	Hinge, Formed Strap w/ 5.25" Leaf	E

RAMP SPRING ASSEMBLIES




A



B



C





D




E

PART#	DESCRIPTION	STYLE
10-5201000	EZ Gate by Buyers Trailer Tailgate Lift Assist	A
10-GL1	The Gorilla-Lift Trailer Tailgate Lift Assist	B
10-16933LH	Ramp Spring 2K, Left Hand, 1-1/2 Shaft	C
10-16933RH	Ramp Spring 2K, Right Hand, 1-1/2 Shaft	C
10-ERS160D96	Ramp Door Kit-Dual Spring 96"	D
10-ERS120D81	Ramp Door Kit-Dual Spring 81"	D
10-ERS80S66	Ramp Door Spring Kit Assembly 66"	D
61-CAB1/8CB150	Replacement Cables for <i>most</i> Ramp Doors (142")	E

GATE AND SIDE RACK ACCESSORIES



PART#	DESCRIPTION	STYLE
65-06025	Straight Side Security Latch	A
65-06030	Corner Mount Security Latch Set	B
65-06015	Straight Stake Rack Connector Set (Left & Right Side)	C
65-06020	Corner Stake Rack Connector Set (Left & Right Side)	D
65-03020	6" Heavy Duty Rubber Hood Catch	E
65-06035	1/2" Spring Loaded Latch w/ Keeper	F
65-B2596KZ	3/4" Spring Loaded Latch w/ Keeper	F
55-B5760	Rubber Ramp Bumper 2" x 2.5" x 8" (Pair)	G
55-1	Rubber Ramp Bumper 2-1/2" x 1"	H



VENTS & DOME VENTILATORS



A



B



C



D



E

PART#	DESCRIPTION	STYLE
61-14X14	14" x 14" Dome Vent w/White Polypropylene Top *New Style	A
61-5003	Vent Installation Kit (24 Screws, Puddy Tape)	Not Shown
61-520160	Replacement Vent Lid 14" x 14" Old Style	Domed
61-520162	Replacement Vent Lid 14" x 14" New Style	Top of "A"
61-822110	Aero Flow Vent-2 Piece (Available in black or white)	B
61-824500	Max Air Cover, Kit	C
61-530475	Vent Operator Arm w/ 6" Arm	D
61-H710	Replacement Vent Crank-Plastic	E (Plastic)
61-H711	Replacement Vent Crank-Die Cast	E

DOOR ACCESSORIES

PART#	DESCRIPTION	STYLE
61-6H	Door Hold Back-6"	A
61-10H	Door Hold Back-10"	A
61-231800	Handle, Grab Bar-13"	B
61-236100	Door Latch w/Keys	C
61-2	Door Hasp (4 3/4" Hole Centers)	D
61-5	Door Hasp (4" Hole Centers)-2 Piece	E
61-B215805	Door Hasp (4 1/4" Hole Centers)	D
61-0136	Cam Bar Lock, 36"	F
61-234100	Cam Bar Lock, 45"	F
61-234110	Cam Bar Lock, 55"	F
61-304850	Anti-Theft Bolt	G
61-311100	Cam Nut Retainer	H
61-396120	T-45 Bit (Tamper Proof)	I



A



B



C



D



E



F



G



H



I

SECTION D:

CARGO CONTROL



ANCHOR SHACKLES

PART#	DESCRIPTION
02-5480375	3/8" Galvanized Anchor Shackle w/Screw Pin, 2,000 lbs. W.L.L.



DOUBLE CLEVIS LINK

PART #	CHAIN SIZE	PIN DIAMETER	W.L.L
02-2409C	3/8"	1/2"	5,000 lbs



WELD-ON CHAIN HOLDER

PART #	DESCRIPTION
02-SC38B	Safety Chain Holder 3/8" diameter
02-SC44B	Safety Chain Holder 7/16" diameter
02-SC50B	Safety Chain Holder 1/2" diameter
02-SC58B	Safety Chain Holder 5/8" diameter



RATCHETING LOAD BINDER

PART#	DESCRIPTION
65-RLB5638	5/16" x 3/8" Ratcheting Load Binder 14.25" handle
65-RLB3812	3/8" x 1/2" Ratcheting Load Binder 14.25" handle




TRANSPORT CHAIN

PART#	MINMUM BREAK FORCE	TOTAL LENGTH	DESCRIPTION
02-1	26,400 lbs	20'	3/8" x 234" grade 70 plus (2) clevis grab hooks



E-TRACK CARGO CONTROL



A



B



C



D



E



F



G




H

PART#	DESCRIPTION	MINIMUM BREAKING STRENGTH	W.L.L.	STYLE
66-ET4310	Horizontal E-Track 10' section (Min. Yield: 50,000 psi)	N/A	N/A	A
66-ET8000	Vertical E-Track 10' section (Min. Yield: 50,000 psi)	N/A	N/A	B
66-19131	Rope Ring with E-track fitting	6,000 lbs	2,000 lbs	C
66-19200	Rope Ring with E-track fitting	1,950 lbs	650 lbs	D
66-ET1845	Track Board Holder (Holds 2x4 & 2x6 lumber)	N/A	N/A	E
66-ET6001	2" x 6" Rope Ring Tie Down Strap w/ Fitting	3,000 lbs	1,000 lbs	F
66-ET6412	2" x 12' Ratchet Strap w/ E-Track Fitting	3,000 lbs	1,000 lbs	G
66-ET6416	2" x 16' Ratchet Strap w/ E-Track Fitting	3,000 lbs	1,000 lbs	G
66-ETH	E-Track U-Bolt Fitting	N/A	N/A	H

TIE-DOWN STRAPS



A



B



C



D



E



F



G




H



I


PART#	DESCRIPTION	MINIMUM BREAKING STRENGTH	W.L.L.	STYLE
66-227F	2" x 27' Ratchet w/Flat Hook	10,000 lbs	3,300 lbs	A
66-227H	2" x 27' Ratchet w/Wire J Hook	10,000 lbs	3,300 lbs	B
66-2608 SHPL	1" x 8' Ratchet Strap w/ S Hooks & Loop	2,500 lbs	833 lbs	C
66-2610SH-254	1" x 10' Ratchet Strap w/ S Hooks	1,500 lbs	500 lbs	D
66-5108 AX/10	8' Axle Ratchet Strap w/ loop	10,000 lbs	3,300 lbs	E
66-5427 FSH	2" x 27' Ratchet w/Spring Hook	10,000 lbs	3,300 lbs	F
66-AXLE2/CS	2" x 24" Axle Loop Strap Only w/ D-Rings	10,000 lbs	3,300 lbs	G
66-AXLE3/CS	2" x 36" Axle Loop Strap Only w/ D-Rings	10,000 lbs	3,000 lbs	G
66-WN1617 U	Universal Wheel Net (fits 13" up to most 16" & 17" Tires)	3,000 lbs	1,000 lbs	H
66-5480010	2" x 10' Retractable Tie Down (Bolt-on Ratchet)	3,000 lbs	1,000 lbs	I

TIE DOWN D-RINGS



PART #	DESCRIPTION	RING DIAMETER	I.D. (H X W)	W.L.L.	BREAKING STRENGTH	STYLE
65-28	Heavy Duty Rope Ring w/ Forged Weld-On Bracket	3/8"	1½" x 1¼"	2,000#	6,000#	A
65-32F	Surface Mount Rope Ring w/ Bolt-On Bracket-Zinc	3/8"	1½" x 1-3/8"	2,000#	6,000#	B
65-38ZW	Forged White Zinc Plated D- Ring w/ 2-Hole Mounting Bracket	1/2"	2 1/2" x 2 3/8"	4,080#	11,781#	B
65-2201-1111	Forged D-Ring w/ Mounting Bracket	5/8"	3" x 3"	6,130#	18,390#	C
65-46	Forged D-Ring w/ Mounting Bracket	3/4"	3" x 3"	9,120#	26,500#	C
65-48	Forged D-Ring w/ Mounting Bracket	1"	3" x 3"	15,586#	46,760#	D
65-50	Forged D-Ring w/ Mounting Bracket	1"	4" x 3"	15,586#	46,760#	D
65-5055	Forged D-Ring (55°) w/ Mounting Bracket	1"	3½" x 3"	15,586#	46,760#	E

ROPE RINGS



PART #	DESCRIPTION	W.L.L.	BREAKING STRENGTH	STYLE
65-B20	Rope Ring	800#	2,400#	A
65-B21	Rope Ring w/ Clip	800#	2,400#	B
65-501	Surface Mounted Rope Ring	500#	1,500#	F
65-601	Recessed rope ring	265#	850#	E
65-701	Surface Mounted Rope Ring	265#	800#	D
65-702	Recessed Rope Ring	265#	800#	C
65-801	Heavy Duty Recessed Rope Ring	2000#	6,000#	G
65-901	Heavy Duty Recessed Rotating Rope Ring	2000#	6,000#	H
65-7622BP	Support plate for 601/701/702/B20	n/a	n/a	n/s
65-801BP	Support plate for 801	n/a	n/a	n/s
65-902BP	Support plate for 901	n/a	n/a	n/s

WHEEL CHOCKS



A



B



C



D

PART#	DESCRIPTION	SIZE	STYLE
65-WC35225	Mini Rubber Wheel Chock Pair w/Rope	3" x 5" x 2.25"	A
65-WC1467	Rubber Wheel Chock	5" x 6" x 5"	B
65-WC4412	Durable Plastic Wheel Chock	5" x 6" x 5"	C
65-WC1086	Heavy Duty Rubber Wheel Chock w/Chain Eye	10" x 8" x 6"	D
65-WC100609	Chrome Motorcycle Wheel Chock w/ Mounting Kit	5-1/2" ID	E



E

SECTION E:

ACCESSORIES



LOCKS

COUPLER LOCKS



A



B



C



D



E



F

PART#	DESCRIPTION	STYLE
01-ML605DAT	Master Lock Coupler Lock for 1-7/8" & 2" Couplers, (1/4" Shackle Diameter)	A
01-STL0603	Coupler Latch Lock 1/4" Diameter x 3/4" Adjustable Travel	B
01-ML2847DAT	Master Lock Coupler Latch Lock (Fits Coupler Latch Widths 9/16" - 2-3/4")	C
01-DT-25013	Diversi-Tech Universal Coupler Lock	D
01-63227	Tow Ready Universal Coupler Lock (Fits 2-5/16" Couplers)	E
01-63228	Tow Ready Universal Coupler Lock (Fits 2" Couplers)	E
01-ML379DAT	Master Lock Coupler Lock (Fits most 1-7/8", 2" & 2-5/16" Couplers)	F

DRAWBAR LOCK

PART#	DESCRIPTION
01-BDL253	Drawbar Lock (Fits all 2-1/2"-3" Lunette eyes. Accepts most 1/2" Diameter Padlocks)




CARGO DOOR LOCKS

PART#	DESCRIPTION
01-DL-80	Cargo Trailer Door Lock
01-DL-80-KA	Cargo Trailer Door Lock-Keyed Alike



BALL MOUNT PINS & LOCKS




PART#	DESCRIPTION	STYLE
01-ML1465DAT	Pivot-Lock Hitch Pin (5/8")	A
08-HP625SC	Swivel Hitch Pin (5/8") w/ Spring Clip	B
08-63223	Ball Mount Receiver Lock (5/8")	C
08-63248	Dual Bent Pin Lock-Interchangeable Pins to Fits both 1-1/4" & 2" Receivers	D
08-500A	Hitch Pin (1/2" x 3") w/ hair pin clip	E
08-613A	Hitch Pin (5/8" x 3-1/2") w/ hair pin clip	E
08-614	Hitch Pin (5/8" x 4") w/ hair pin clip	E
08-6	Hair Pin Clip (<i>Clip Only</i>)	E (Clip Only)

DOCUMENT HOLDERS



PART#	DESCRIPTION	STYLE
04-97960	Document Holder (Plastic)	A
04-5201100	Document Holder (Stainless Steel)	B

TRIANGLES & FLARES



PART#	DESCRIPTION	STYLE
79-ERT10	Emergency Road Reflective Triangle Kit (3 Triangles w/box)	A
79-Flare	Road Flares (each)	B

SECTION F:

LIGHTS & ELECTRICAL



ELECTRICAL


7-Way Flat RV Plug

PART#	DESCRIPTION	STYLE
04-11-893	7-Way OEM Replacement Socket-Bolt In	A
04-11-916	7-Way OEM Replacement Socket-Twist In	B
04-12-705-1	7-Way Plastic Trailer End	C
04-12-702	7-Way Metal Trailer End	C-Metal
04-12-705-2	7-Way Plastic Truck End	D
04-57101	4-Way Flat & 7-Way RV Blade w/ Back-Up Alarm (OEM Socket)	E
04-50-87-004	7-Way Molded Truck End w/ 4' Cable	F
04-50-78-007	7-Way Molded Truck End w/ 7' Cable	F
04-50-67-003	7-Way Molded Trailer End w/ 8' Cable	G



7-Way Round Pin Plug

PART#	DESCRIPTION	STYLE
04-11704	7-Pole Round Plastic Trailer End	H
04-11723	7-Pole Round Plastic Vehicle End	I
04-105730	Rubber Boot for Vehicle Ends	J
04-12063	7-Pole Round Metal Vehicle End	K
04-1255	7-Pole Round Metal Trailer End	L



4-Way & 6-Way Round

PART#	DESCRIPTION	STYLE
04-1232	4-Pole Round Car End	A
04-1234	4-Pole Round Trailer End w/ Spring	B
04-1235	6-Pole Round Car End	A
04-1254	6-Pole Round Trailer End w/ Spring	B
04-50-61-108	6-Way Molded Trailer End w/ 7' Cable	Not Shown
04-50-68-007	6-Way Molded Truck End w/ 4' Cable	C



Flat 4 Plugs, Flat 5 Plugs & Flat 4 Wire Harnesses

PART#	DESCRIPTION	STYLE
04-2301	48" Flat 4 Vehicle End	D
04-2401	18" Flat 4 Trailer End	E
04-2402	18" Flat 4 Trailer End-2 Browns	E (2 Browns)
04-412-11	11" Flat 4 Extension	F
04-412-24	24" Flat 4 Extension	F
04-412-48	48" Flat 4 Extension	F
04-2215	15' Wishbone Harness w/Flat 4 Connector	G
04-2220	20' Wishbone Harness w/ Flat 4 Connector	G
04-2225	25' Wishbone Harness w/ Flat 4 Connector	G
04-2230	30' Wishbone Harness w/ Flat 4 Connector	G
04-2240	40' Wishbone Harness w/ Flat 4 Connector	G
04-7273	48" Flat 5 Vehicle End <i>(has blue wire)</i>	H
04-7283	48" Flat 5 Trailer End <i>(has blue wire)</i>	I
04-20030	Quick Fix Flat 4-Vehicle	J-Vehicle End
04-20031	Quick Fix Flat 4-Trailer	J-Trailer End



PLUG MOUNTING BRACKETS



A



B



C



D

PART#	DESCRIPTION	STYLE
04-18144	4-Flat Connector Mounting Bracket (Mounting Hardware Included)	A
04-18022	4-Way & 6-Way Round Socket Bracket	B
04-1771	7-Way Round Socket Bracket	C
04-1617	7-Way RV Blade Socket Bracket	D

PLUG COVERS/HOLDERS



A



B

PART#	DESCRIPTION	STYLE
04-0004	4-Flat Connector Dust Cover	A
04-20118	5-Flat Connector Dust Cover	A
04-90320	7-Way Plug-Guard	B

Plug Adapters

PART#	DESCRIPTION	STYLE
04-624	Truck 6 to Trailer Flat 4 Adaptor	A
04-TC1067P	Truck 6 Round to Trailer 7 Spade	B
04-724	Truck 7 Blade to Trailer Flat 4 Spade	C
04-7242	Truck 7 Round Pin to Trailer Flat 4	D
04-725	Truck 7 Blade to Trailer Flat 5	E
04-726	Truck 7 Blade to Trailer 6 Standard	F
04-7261	Truck 7 Blade to Trailer 6-Brake Center	F
04-726B	Truck 7 Blade to Trailer 6 w/Back-up Alarm	G
04-R77F	Truck 7 Round to Trailer 7 Flat	H
04-F77R	Truck 7 Flat to Trailer 7 Round Pin	I

A



Each sold separately

B



C



Each sold separately

D



Each sold separately

E



F



Each sold separately

G



H



I



3 BAR LIGHTS

PART#	DESCRIPTION
03-150-3R	3-Bar Light Assembly (Red)
03-150-49	3-Plug Replacement Harness
03-150A	Replacement Lamp-Amber
03-150R	Replacement Lamp-Red
03-CPL26R-3BAR	3-Bar Light Assembly (LED -Red)



Snap-In Sealed Lamps



03-150-49

PART#	DESCRIPTION
03-107-3A	3-Bar Light Assembly-Amber
03-107-3R	3-Bar Light Assembly-Red
03-107-15A	Replacement Lens-Amber
03-107-15R	Replacement Lens-Red
03-194	Replacement Bulb



Snap-On 1" x 2" Lens

PART#	DESCRIPTION
03-3315	Submersible 3-Bar Light Assembly-Wesbar



Sealed Non-replaceable Parts

PART#	DESCRIPTION
03-136-3R	3-Bar Light Assembly-Red
03-136-15A	Replacement Lens-Amber
03-136-15R	Replacement Lens-Red
03-194	Replacement Bulb



CLEARANCE MARKER LIGHTS

Sealed Clearance Marker Lights-2 Pole




PART#	DESCRIPTION	STYLE
03-143A	2.5" Sealed Marker Light-Amber	A
03-143R	2.5" Sealed Marker Light-Red	A (Red)
03-143-18	Grommet for 2.5" Round Sealed Marker Light	B
03-143A-A	2.5" Sealed Marker Light Kit (w/ Grommet & 2 Wire Plug)-Amber	A + B + I
03-143R-A	2.5" Sealed Marker Light Kit (w/ Grommet & 2 Wire Plug)-Red	A (Red)+ B + I
03-146A	2" Sealed Marker Light-Amber	C
03-146R	2" Sealed Marker Light-Red	C (Red)
03-146-18	Grommet for 2" Round Sealed Marker Light	B
03-146A-A	2" Sealed Marker Light Kit (w/ Grommet & 2 Wire Plug)-Amber	C + B + I
03-146R-A	2" Sealed Marker Light Kit (w/ Grommet & 2 Wire Plug)-Red	C (Red)+ B + I
03-150A	Submersible Clearance Marker-Amber	D
03-150R	Submersible Clearance Marker-Red	D (Red)
03-150-18	Grommet for Submersible Clearance (150 Light)	E
03-154A	Sealed Marker Light-Amber	F
03-154R	Sealed Marker Light-Red	F (Red)
03-154-11K	Mounting Bracket (1-Wire) Fits 03-154 & 03-155 Lights	G
03-154	Mounting Bracket (2-Wire) Fits 03-154 & 03-155 Lights	G (2-Wire)
03-154KA	Sealed Marker Light Kit-Amber	F + G
03-154KR	Sealed Marker Light Kit-Red	F (Red) + G
03-14A	LED Clearance Marker Light Kit-Amber	H
03-14R	LED Clearance Marker Light Kit-Red	H (Red)
03-142-49	2-Pole Plug & Wire (For Marker Light)	I



Sold separately or as part of kit.

Clearance Marker Lights

PART#	DESCRIPTION	STYLE
03-107WA	Mini Marker Light-Amber	A
03-107WR	Mini Marker Light-Red	A (Red)
03-107-15A	Replacement Lens For Mini Marker Light-Amber	A (Lens)
03-107-15R	Replacement Lens For Mini Marker Light-Red	A (Red)
03-108WA	Oblong Side Marker Light-Amber	B
03-108WR	Oblong Side Marker Light-Red	B (Red)
03-108-15A	Replacement Lens For Oblong Side Marker Light-Amber	B (Lens)
03-108-15R	Replacement Lens For Oblong Side Marker Light-Red	B (Red)
03-114A	Marker Light Stud Mount-Amber	C
03-114R	Marker Light Stud Mount-Red	C (Red)
03-115A	Marker Light Surface Mount-Amber	D
03-115R	Marker Light Surface Mount-Red	D (Red)
03-55-15A	Amber Replacement Lens for 114A & 115A	D
03-55-15R	Red Replacement Lens for 114 & 115	D (Red)
03-118A	Rectangular Marker Light-Amber	E
03-118R	Rectangular Marker Light-Red	E
03-119A	Steel Armored Marker Light-Amber	F
03-119R	Steel Armored Marker Light-Red	F (Red)
03-136A	Thin-Line Marker Light-Amber	G
03-136R	Thin-Line Marker Light-Red	G (Red)
03-136-15A	Replacement Lens For Thin-Line Marker Light -Amber	G
03-136-15R	Replacement Lens For Thin-Line Marker Light -Red	G (Red)
03-138A	Rectangular Two Bulb Marker Light-Amber	H
03-138R	Rectangular Two Bulb Marker Light-Red	H (Red)
03-138-15A	Replacement Lens For Rectangular Two Bulb Marker Light -Amber	H
03-138-15R	Replacement Lens For Rectangular Two Bulb Marker Light -Red	H (Red)



Clearance Marker Lights

PART#	DESCRIPTION	STYLE
03-99A	Marker Light-Amber	A
03-99R	Marker Light-Red	A (Red)
03-99-A	Marker Light Replacement Lens-Amber	A
03-99-R	Marker Light Replacement Lens-Red	A (Red)
03-3233	Marker Light, Waterproof, Stud Mount-Amber	B
03-3234	Marker Light, Waterproof, Stud Mount-Red	B (Red)
03-3285	Marker Light, Waterproof, Ear Mount-Amber	C
03-3286	Marker Light, Waterproof, Ear Mount-Red	C (Red)
03-30-68-503	Marker Light, Square w/Reflector Kit-Clear	D (Clear)
03-30-68-510	Marker Light, Square w/Reflector Kit-Red	D (Red)
03-30-68-511	Marker Light, Square w/Reflector Kit-Amber	D
03-3263	Marker Light w/Reflex Reflector, Surface Mount-Amber <i>Wesbar</i>	E



3-5/8" x 2-1/4"

Back-Up Lamps & Amber Turn Lamps

PART#	DESCRIPTION	STYLE
03-415K	4" Backup Light Kit-Round	A
03-415	4" Round Backup Lamp	A (Light Only)
03-416K	Backup Light Kit-Oval	B
03-416	Backup Lamp-Oval	B (Light Only)
03-352KA	Side Turn Signal Kit-Amber	C
03-352A	Side Turn Signal Lamp-Amber	C
03-426A	4 " Round Flush Mount Sealed Stop, Turn & Tail Light-Amber	D
03-426KA	4 " Round Flush Mount Sealed Stop, Turn & Tail Light Kit-Amber	D
03-421A	Oval Flush Mount Turn Light-Amber	E
03-421-18	Grommet for 6-1/2" Oval	F
03-426-18	Grommet for 4" Round	G
03-431-491	3-Pole Plug & Wire for Tail Light (For E & F)	H



**Kit Includes Grommet & Plug*



FENDER LIGHTS

PART#	DESCRIPTION
03-44FNL	Left-Side Pre-Wired Fender Light Assembly
03-44FNR	Right-Side Pre-Wired Fender Light Assembly
03-118R	Replacement Light, White Base, Red
03-118A	Replacement Light, White Base, Amber
03-194	Replacement Bulb
04-4040120	Replacement Fender Mounting Bracket Only



03-44FNL

PART#	DESCRIPTION
03-155	Replacement Light Red Amber, Fender Mount
03-155	Light Red Amber, Fender Mount Assembly
03-155-1	Light Red Amber, Fender Mount Assembly (Haulmark): Not shown

Lamp Only



Lamp w/Bracket

PART#	DESCRIPTION
03-4040104	Replacement Amber/Red Fender Light
03-FL40-0004	Amber/Red Fender Light w/Bracket



Light & Bracket

PART#	DESCRIPTION
03-404006	Amber/Red Fender Light-Economy



TAIL LIGHTS

PART#	DESCRIPTION	STYLE
03-3025	Left Hand Submersible 4" x 6" Tail Light- <i>Wesbar</i>	A
03-3075	Right Hand Submersible 4" x 6" Tail Light- <i>Wesbar</i>	A
03-3026	Left Hand Waterproof Tail Light- <i>Wesbar</i>	B
03-3076	Right Hand Waterproof Tail Light- <i>Wesbar</i>	B
03-3336	Replacement Lens (Right & Left Hand) for 03-3026 & 03-3076	N/S
03-3028	Left Hand Wraparound Waterproof Tail Light- <i>Wesbar</i>	C
03-3078	Right Hand Wraparound Waterproof Tail Light- <i>Wesbar</i>	C
03-3372	Replacement Lens (Left Hand) for 03-3028	N/S
03-3373	Replacement Lens (Right Hand) for 03-3078	N/S
03-3356	Replacement Sealed Bulb Capsule for 03-3026, 03-3076, 03-3028 & 03-3078. Bulb Replaceable.	N/S
03-5236-23	Left Hand Tail Light- <i>Grote</i>	D
03-5237-23	Right Hand Tail Light- <i>Grote</i>	D (RH)
03-92382-3	Replacement Lens Kit for 03-5236-23 & 03-5237-23	N/S
03-456L	Left Hand Submersible Tail Light- <i>Peterson</i>	E
03-456	Right Hand Submersible Tail Light- <i>Peterson</i>	E
03-440L	Left Hand Multi-Function Combination Tail Light- <i>Peterson</i>	F
03-440	Right Hand Multi-Function Combination Tail Light- <i>Peterson</i>	F (RH)
03-440-15	Replacement Lens for 440 & 440L	N/S
03-55-15R	Replacement Side Lens for 440 & 440L-Red	N/S
03-444	Left Hand Multi-Function Combination Tail Light- <i>Peterson</i> Over 80"	G (RH)
03-444L	Right Hand Multi-Function Combination Tail Light- <i>Peterson</i> Over 80"	G
03-428	Round Stud Mount Stop, Turn and Tail Light- <i>Peterson</i>	H
03-TL6400	Truck Stud Mount Stop, Turn and Tail Light- <i>Peterson</i>	I
03-5441L	Submersible Left Hand Multi-Function Combination Tail Light	F
03-5441	Submersible Right Hand Multi-Function Combination Tail Light	F
03-3335	Square Tail Lamp Replacement Lens- <i>Wesbar ONLY</i>	N/S



TAIL LIGHTS (Continued)

PART#	DESCRIPTION	STYLE
03-313-2	Pedestal Mount Stop, Turn and Tail Light Single Sided- <i>Wesbar</i>	A
03-413S	Flush Mount Stop, Turn and Tail Light- <i>Peterson</i>	B
03-3084527	Recessed Double Tail Light Red	C
03-34-84-008	Recessed Double Tail Light Red w/ Backup Light	D
03-8410	Replacement Lens for Recessed Double Tail Light	N/S
03-8471	Replacement Lens for Recessed Double Tail Light w/ Backup Light	N/S
03-421R	6-1/2" Oval Light Only	E
03-427	Tail Light/Turn Light 4" Round Sealed	F
03-45202R	Tail Light 3.5" x 5.5" Sealed	G
03-421-18	Grommet for 6-1/2" Oval	H
03-426-18	Grommet for 4" Round	I
03-431-491	3-Pole Plug & Wire for Tail Light (For E & F)	J



L.E.D. TAIL/SIGNAL LIGHTS

PART#	DESCRIPTION	STYLE
03-5624118	4" Round 18 LED Stop, Turn, Tail Light w/Grommet & Plug—Red	A
03-CPL4-A	4" Round 18 LED Stop, Turn, Tail Light - Amber	B
03-5626520	6 1/2" Oval 20 LED Stop, Turn, Tail Light w/Grommet & Plug—Red	C
03-CPL65-A	6 1/2" Oval 20 LED Stop, Turn, Tail Light—Amber	D
03-CPL6510FB	LED Oval w/ Chrome Bezel, Surface Mount	E
03-79RB	17" Identification Light Bar (3-Wire) (Can be used for RH or LH Lamp)	F
03-LLB-1017	17" Identification Light Bar (4-Wire) (Has Right & Left Turn Signals)	F
03-LED 440	Right Hand Multi-Function Submersible Combination Tail Light	G
03-LED 440L	Left Hand Multi-Function Submersible Combination Tail Light	G (LH)
CPL55R	5.5" Sealed Rectangular LED Light-Red	H
03-MTLTL7101	2.5" x 8" LED Over 80" Wide Submersible Combination Trailer Light -Right Hand	I
03-MTLL7101L	2.5" x 8" LED Over 80" Wide Submersible Combination Trailer Light –Left Hand	I

A



B



C



D



E



F



G



H



I



L.E.D. MARKER LIGHTS

PART#	DESCRIPTION	STYLE
03-CPL120A	4" X 2" Sealed LED Marker Light-Amber	A
03-CPL120R	4" X 2" Sealed LED Marker Light-Red	A
03-CPL126A	4" X 1.5" LED Marker Light-Amber	B
03-CPL126R	4" X 1.5" LED Marker Light-Red	B
03-CPL2A	2" Round Sealed LED Marker Light-Amber	C
03-CPL2R	2" Round Sealed LED Marker Light-Red	C
03-CPL25A	2.5" Round Sealed LED Marker Light-Amber	C
03-CPL25R	2.5" Round Sealed LED Marker Light-Red	C
03-CPL26-A	2.5" x 1.25" Sealed LED Marker Light-Amber	D
03-CPL26-R	2.5" x 1.25" Sealed LED Marker Light-Red	D
03-CPL275A	2-7/8" X 2-1/8" LED Stud Mount Side Marker Light w/ Reflex-Amber	E
03-CPL275R	2-7/8" X 2-1/8" LED Stud Mount Side Marker Light w/ Reflex-Red	E
03-MTKTL2140A	3.75" x 1.25" Sealed LED Marker Light-Amber w/ Mounting Bracket	F
03-MTKTL2140R	3.75" x 1.25" Sealed LED Marker Light-Red w/Mounting Bracket	F
03-CPL375RA	3.75" x 1.25" Sealed LED Marker Light-Amber/Red	F
03-CPL42A	4" X 2" Oblong Clearance/Side LED Marker Light w/Reflex-Amber	G
03-CPL42R	4" X 2" Oblong Clearance/Side LED Marker Light w/Reflex-Red	G
03-CPL1A	3/4" Single Diode LED Light-Amber	H
03-CPL1R	3/4" Single Diode LED Light-Red	H



A



B



C



D



E



F



G



H


DOME LIGHTS & UTILITY LIGHTS



PART#	DESCRIPTION	STYLE
03-3476123	Interior Light, Single, Series 76 w/Switch	A
03-3076028	Replacement Lens for Interior Light, Single, Series 76	N/S
03-UPL78-503	Porch/Utility Light w/ Switch	B
04-1156	Replacement Bulb For "A" & "B"	N/S
03-AXH4411	Utility Light-5" Rubber Housed, Seal Lamp-Post Mount	C
03-WL18F	5" LED Utility Light-Post Mount	D

REFLECTORS

PART#	DESCRIPTION	STYLE
03-480A	Oval Reflector (2" x 4-1/2")-Amber	A
03-480R	Oval Reflector (2" x 4-1/2")-Red	A (Red)
03-483A	Rectangle Reflector (1-1/2" x 3-1/4")-Amber	B
03-483R	Rectangle Reflector-Red	B (Red)
03-RF2001A	2-3/16" Round Reflector-Amber	C (Amber)
03-RF2001R	2-3/16" Round Reflector-Red	C
03-RF3001A	3-3/16" Round Reflector-Amber	D (Amber)
03-RF3001R	3-3/16" Round Reflector-Red	D
04-CT-150-2	2" Wide Reflecting Marking Tape per Foot (6" Red/6"White)	E
03-B492R	Spitfire Rectangular Reflectors (4-5/16" x 13/16")-Red	F
03-B492A	Spitfire Rectangular Reflectors (4-5/16" x 13/16")-Amber	F



A



B



C



D



E



F

LICENSE PLATE LIGHTS & BRACKETS

PART#	DESCRIPTION	STYLE
03-436	License Plate Light	A
03-436B	License Plate Light w/Bracket	B
03-62	License Plate Light-Black Plastic	C
03-435	License Plate Light-Chrome	D
04-440-09	License Plate Holder-Black Plastic	E
04-428-09	License Plate Holder-Steel	F
03-150C	Sealed License Plate Lamp	G
03-150-18	Rubber Grommet for Rectangle 03-150 Lamps	N/S
03-150-092	Light-Mounting Bracket for 03-150 Lamps	H
03-LL-LED	License Plate Light –LED	A (LED)



A



B



C



D



E



F



G



H

LIGHT GUARDS & MOUNTING BRACKETS

PART#	DESCRIPTION	STYLE
03-510-9	Universal Tail Light Bracket	A
04-LGL	Tail Light Guard-Left	B
04-LGR	Tail Light Guard-Right	C
03-421-09	Mounting Bracket-Oval	D
03-426-09	Mounting Bracket-4" Round	E
04-MTBOX4	Light Box, 4" Round Tail Light and 2" Round Marker Light	F
04-MTBOX65	Steel Mounting Box for 6.5" Oval Light	G
04-LGO	Light Guard, Oval	H
04-B142-09	Mounting Bracket-2.5" Round	I
04-B146-09	Mounting Bracket-2" Round	J



B



C



D



E



F



G



H




I



J



FUSES




PART#	DESCRIPTION	STYLE
04-MINILP	Low Profile Mini Fuse (Different Amperage Available)	A
04-MINI	Mini Fuse (Different Amperage Available)	B
04-ATO	ATO Fuse (Different Amperage Available)	C
04-MAXI	Maxi Fuse (Different Amperage Available)	D
04-LPJCAS-30	JCASE Fuse-Low Profile-30 Amp	E
04-LPJCAS-40	JCASE Fuse-Low Profile-40 Amp	E
04-JCAS-30	JCASE Fuse-30 Amp	F
04-JCAS-40	JCASE Fuse-40 Amp	F



SECTION G:

BRAKE ACTUATORS/ CONTROLLERS/ BREAK-AWAY KITS



BRAKE CONTROLLERS & ACCESSORIES

BRAKE CONTROLLERS

PART#	DESCRIPTION	STYLE
26-90160	Tekonsha Primus IQ (1-3 Axles)	A
26-90885	Tekonsha Prodigy P2 (1-4 Axles)	B
26-90195	Tekonsha Prodigy P3 (1-4 Axles)	Not Shown
26-80550	Pro Series Pilot (1-2 Axles)	C
26-80500	Pro Series Pod (1-2 Axles)	D



A



B



C



D

HARNESSES & ACCESSORIES

PART#	DESCRIPTION <i>*DOES NOT FIT ALL VEHICLES</i>	STYLE	REF #
04-3015	Chevrolet/Cadillac/GMC/Hummer 2003-2007	C	22284
04-3020	Chrysler/Dodge 1995-2011	B	22281
04-3021	Chrysler/Dodge 2010-2012	Not Shown	22293
04-3025	Chevrolet/Cadillac/GMC 1999-2002	C	22283
04-3034	Ford 2009-2014	Not Shown	22290
04-3035	Ford/Land Rover/Lincoln/Mercury 1992-2014	A	22280
04-3036	Ford F150 2009-2014	Not Shown	22292
04-3040	Lexus/Toyota 2003-2014	Not Shown	20285
04-3045	Dodge Durango/Jeep Grand Cherokee 2011-2014	Not Shown	22294
04-3050	Nissan 2004-2014	Not Shown	22286
04-3065	Ford F Super Duty 2005-2007	D	22287
26-6927	Clip/Pivot Mounting	E	N/A
26-5280	Bracket Mounting	F	N/A



A



B



C



D



E



F

BREAK AWAY KITS & REPLACEMENT PARTS



A



B



C



D



E



F



G



H



I



J

PART#	DESCRIPTION	STYLE
27-BA10-250	Break Away System-Includes Battery, Switch & Box (LED Display w/ Test Button & Built in Charger)	A
27-BA10-150	Break Away System (Includes Battery, Switch & Box) (LED Display w/Test Button & Built in Charger)	B
27-2005-B120	Break Away Switch w/ Cable & Pin	C
27-2005	Break Away Pin & Cable Only	D
27-2010	Break Away Switch w/ Cable & Pin	E
27-2010-A	Break Away Pin & Cable Only	F
27-2023	12v, 5 Amp Sealed Battery Only	G
27-2051	Battery Box Only-Jack Mount	H
27-2018	Lockable Battery Box Only	I
27-5085104	DC-to-DC Accelerated Battery Charging Device	J
27-20051	Hopkins Replacement Pin & Cable	n/s
27-20059	Hopkins Replacement Switch w/Pin & Cable	n/s

TITAN BRAKE ACTUATORS

PART#	DESCRIPTION	STYLE
26-43329	Titan Model 60 Lever Lock Drum 7,000 lbs, 2" ball, bolt on 3" tongue	A
30-23361	Titan #60 Replacement Master Cylinder Only *For Drum Brakes	B
30-43951	#60 Master Cylinder Kit *For Drum Brakes (Kit includes 23361 Master Cylinder, Gasket, Plate & Cap, Screws & Orifice)	N/S
30-48200	#60 Master Cylinder Kit *For Disc Brakes (Kit includes 23361 Gasket, Plate & Cap, Screws & Orifice)	N/S
30-40454	Titan Replacement Multi Fit Repair Kit	C
30-43584	Titan Replacement lever Lock Repair Kit	D
30-12503	Titan Replacement Filler Cap #10/#20	E
30-44807	Titan Replacement Filler Cap #60	F
30-23362	Titan Damper Model 60 (Shock)	N/S



A

B



C



D



E

F



TITAN BRAKE ACTUATORS

PART#	DESCRIPTION	STYLE
26-40792	Titan Model 6 Actuator Bolt On Straight w/ 2-5/16" Ball	A
26-24046	10 K Actuator w/ Channel Weld On	B
26-24776	10 K Actuator Bolt On w/ 2-5/16" Ball	C
30-10271	Master Cylinder #6 Actuators	E
30-23744	Master Cylinder #10 & #20 Actuators	D
30-17556	Replacement Cap for #6 Master Cylinder	N/S
30-12503	Replacement Cap for #10 & #20 Master Cylinder	N/S
30-12426	Damper Shock #6 & #10	N/S
30-784	Damper Shock #20	N/S




DEMCO BRAKE ACTUATOR PARTS



PART#	DESCRIPTION	STYLE
33-5650	Demco Master Cylinder	A
33-BP31	Demco Master Cylinder Cap	B

ATWOOD BRAKE ACTUATORS

PART#	DESCRIPTION	STYLE
26-82541	Atwood Actuator coupler 6,000 lbs, 2" ball, bolt on 3" tongue	A
26-83010	Atwood Actuator coupler 8,000 lbs, 2" ball, bolt on 3" tongue	N/S
31-23408	Atwood Master Cylinder, before 1980	C
31-85841	Atwood Replacement Master Cylinder after 1980	B
30-87474	Atwood Replacement Filler Cap	D



A



B



C



D

HYDRAULIC LINES & PIPING KITS

PART#	DESCRIPTION	STYLE
27-T-100 SA	Single Axle Hydraulic Brake Line Kit	A
27-T-200 TA	Tandem Axle Hydraulic Brake Line Kit	B
27-T-400	Tandem Torsion Axle Hydraulic Brake Line Kit	C
27-Q-013	Quick Disconnect Kit	D
27-T-16005-F	Hydraulic Line 3/16" x 5" <i>Straight</i>	N/S
27-T-16017.50-F	Hydraulic Line 3/16" x 18" <i>Straight</i>	N/S
27-T-16030-C	Hydraulic Line 3/16" x 30" <i>Coil</i>	E
27-T-16072-C	Hydraulic Line 3/16" x 72" <i>Coil</i>	E
27-T-16080-C	Hydraulic Line 3/16" x 15' <i>Coil</i>	E
27-T-16228-C	Hydraulic Line 3/16" x 19' <i>Coil</i>	E
27-T-16300-C-1R	Hydraulic Line 3/16" x 25' <i>Coil</i>	E
27-HOSE-18013-FF	13" w/ 7/16-20 Females	F
27-HOSE-18018-MF	18" Brake Hose-M/F	F
27-HOSE-18418-MM	18" Brake Hose-M/M	F
27-T-132 SA	2nd Axle Add on Kit	N/S



SECTION H:

TIRES & WHEELS



BIAS PLY TIRE AND WHEEL ASSEMBLIES



A



B



C

SIZE	# OF LUGS	LOAD RANGE	S.W. (INCH)	O.D. (INCH)	CAPACITY	MAX PSI	WHEEL (INCH)	STYLE
570-8	4 or 5	C	5.9	18.0	910	75	8 x 3.75	A
480-12	4 or 5	C	4.8	20.5	990	90	12 x 4	B
530-12	4 or 5	C	5.6	21.9	1045	80	12 x 4.25	B
530-12	5	D	5.5	21.9	1250	105	12 x 4.25	B
4.80/4.00-8	4 or 5	C	4.7	16.1	760	90	8 x 3.75	A
215/60-8	4 or 5	C	8.9	18.3	935	50	8 x 7	C
205/65-10	4 or 5	C	8.3	20.5	1100	50	10 x 6	C
205/65-10	5	E	8.4	20.4	1650	90	10 x 6	C

BIAS TIRE AND WHEEL ASSEMBLIES

SIZE	# OF LUGS	LOAD RANGE	S.W. (INCH)	O.D. (INCH)	CAPACITY	MAX PSI	WHEEL (INCH)
ST175/80 D13	4 or 5	C	6.6	24	1360	50	13 x 4
ST185/80 D13	5	C	7.2	24.4	1480	50	13 x 5
ST205/75 D14	5	C	7.8	26.3	1760	50	14 x 5.5
ST205/75 D15	5	C	7.7	27.4	1820	50	15 x 5.5
ST205/75 D15	5	D	7.7	27.4	2150	65	15 x 5.5
ST225/75 D15	6	D	8.4	28.1	2540	65	15 x 6
ST225/75 D15	6	E	8.6	28.1	2961	80	15 x 6



RADIAL TIRE AND WHEEL ASSEMBLIES

SIZE	# OF LUGS	LOAD RANGE	S.W. (INCH)	O.D. (INCH)	CAPACITY	MAX PSI	WHEEL (INCH)
ST175/80 R13	4 or 5	C	7	24.1	1360	50	13 x 5
ST205/75 R14	5	C	8.1	26.3	1760	50	14 x 5.5
ST215/75 R14	5	C	8.5	26.8	1870	50	14 x 6
ST205/75 R15	5	C	8.1	27.3	1820	65	15 x 5
ST225/75 R15	6	E	8.9	28.4	2830	80	15 x 6
ST235/80 R16	8	E	9.4	30.9	3500	90	16 x 6
ST235/85 R16	8	F	9.37	31.6	3960	110	16 x 6



DESCRIPTION	CAPACITY	# OF LUGS	LOAD RANGE
7- 14.5	2090	Open Center	E
8-14.5	2835	Open Center	F



WHEELS

PART #	RIM SIZE	BOLT CIRCLE	PILOT	OFFSET	STYLE
92-12-4	12 x 4	4-4	2.84"	0	A
92-12-5	12 x 4	5-4.5	3.19"	0	B
92-13-4	13 x 4.5	4-4	2.65"	0	A
92-13-5	13 x 4.5	5-4.5	3.19"	0	B
92-14	14 x 5.5	5-4.5	3.19"	0	B
92-WHDD1457	14.5 x 7	8-6.5	4.75"	5.65 Out	F
92-15-50N5	15 x 5	5-5	3.19"	0	B
92-17-143	15 x 5	5-4.5	3.19"	0	B
92-17-144	15 x 6	6-5.5	4.27"	0	C
92-17-149	15 x 6	5-4.5	3.19"	0	B
92-16-6	16 x 6	6-5.5	4.27"	0	C
92-16-8	16 x 6	8-5.5	4.90"	0	D
92-153	16 x 6	8-6.5	4.89"	.50 In	E
92-17-279	16 x 6	8-6.5	4.75"	5.50 Out	F
92-154	16.5 x 6.75	8-6.5	4.89"	.50 In	E
92-17-157	16.5 x 6.75	8-6.5	4.56"	5.50 Out	F

A



B



C



D



E



F



TIRE & WHEEL ACCESSORIES

PART#	DESCRIPTION	STYLE
60-319EZ	Chrome Center Cap 3.19" O.D.	A
60-425EZ	Chrome Center Cap 4.25" O.D.	A
60-QT545CHC	Snap on Hub Cover 5-Lug	B
60-QT656CHC	Snap on Hub Cover 6-Lug	B
60-QT865CHC	Snap on Hub Cover 8-Lug	B
79-622	Spare Tire Holder	C
79-STC1000	Hi-Mount Spare Tire Holder	D
79-730551	Trailer-Aid-Trailer Tire Changing Ramp	E
79-RA25	Rackem Wheel Lock Fits Tires w/ 12"-16" Rims	F
79-77316	Spare Tire Bracket- <i>Erickson</i> Interior Mount for Enclosed Trailers	G

A



B



C



D



E



F



G



SECTION I:

AXLE COMPONENTS



BEARINGS

PART# AJAX	BEARING REFERENCE #	DESCRIPTION	I.D.
17-44643	L44643	Inner/Outer for BT8 8-91, 8-258, 8-259	1.000
17-44649	L44649	Inner/Outer for BTR, Outer for #84 Spindles	1.063
17-68149	L68149	Inner for #84 Spindles 8-247, 8-248, 8-249, 8-250, 8-251, 8-256	1.378
17-48548	LM48548	Inner for AH25555F Agricultural Hub	1.375
17-67048	LM67048	Outer for 8-201-5, 8-213-5	1.250
17-15123	15123	Outer for 42655, 42656, 8-174-5 Outer for 8-201-09, 8-213-09	1.250
17-14125	14125A	Outer for 42865, 42866, 8-219-4, 8- 231-9	1.250
17-25580	25580	Inner for #42, 8K, 9K Inner (Pre- 10/89), Outer for #99	1.750
28-031-071-03	31-71-3	50MM Cartridge Style, Nev-R-Lube	50MM
28-031-072-03	31-72-3	35MM Cartridge Style, Nev-R-Lube	35MM
28-031-073-03	31-73-3	42MM Cartridge Style, Nev-R-Lube	42MM
17-02475	02475	Outer for 8-231-8, 8-218-9, 8-187-7	1.250
18-2585	2585	Outer for 8-232-5	1.313
28-17-031-019-02	387A	Outer for 8-214-5, Inner for 8-288-3	2.250
28-17-031-022-02	395S	Inner for 8-214-5	2.625
28-17-031-020-02	3984	Inner for 8-216-5, 8-218-8, 8-217-5, 8- 272-5	2.625
28-17-031-021-02	28682	Outer for 8-216-5, 8-214-8, 8-217-5, 8- 727-5	2.250
17-28580	28580	Inner for All #99 Spindles	2.000
17-205149	JM205149	For 090814 AL-KO/Hayes 10K	1.969
17-511946	JM511946	For 090814 AL-KO/Hayes 10K	2.559
17-11949	LM11949	Outer for AH15450E Agricultural Hub	0.750



**Information is for reference purposes only and are not guaranteed*

RACES

PART# AJAX	RACE REFERENCE #	DESCRIPTION	O.D.
18-44610	L44610	For L44643, L44649 Bearing	1.980
18-68111	L68111	For L68149 Bearing	2.361
18-68110	L68110	For UFP Hubs *Uncommon	2.33
18-48510	LM48510	For LM48548 Bearing	2.563
18-67010	LM67010	For LM67048 Bearing	2.328
18-15245	15245	For 15123 Bearing	2.441
18-14276	14276	For 14125A Bearing	2.717
18-25520	25520	For 25580 Bearing	3.265
18-28521	28521	For 28580 Bearing	3.625
18-02420	02420	For 02475 Bearing	2.688
28-18-031-025-01	2520	For 2585 Bearing	2.615
28-18-031-019-01	382A	For 387A Bearing	3.813
28-18-031-022-01	394A	For 395S Bearing	4.331
28-18-031-021-01	28622	For 28682 Bearing	3.844
28-18-031-020-01	3920	For 3984 Bearing	4.438
18-205110	JM205110	For JM205149 Bearing Hayes	3.543
18-511910	JM511910	For JM511946 Bearing Hayes	4.331
18-11910	LM11910	For LM11949 Bearing	1.781



**Information is for reference purposes only and are not guaranteed*

GREASE SEALS & OIL SEALS



PART# AJAX	REFERENCE OR REPLACEMENT NUMBER	DESCRIPTION	I.D.	O.D.	USE WITH
19-11174VB	N/A	Single Lip Seal	1.19	1.79	3/4 ID Inner/Outer Bearing
19-13194	AB1990N	Double Lip Seal	1.37	1.97	Some Coleman Camper Some Marine Axles
19-122	AD1836N, CR12407, NAT 470706	Double Lip Seal	1.250	1.979	BT8 Spindles
19-2267	10-60, 10-09, AD2267N, CR533409, CR14840	Double Lip Seal	1.500	1.987	E-Z Lube 2,000 lbs
19-8752	AE0313N, CR14977, CR14972	Double Lip Seal	1.50	2.32	Some Dico
19-10-42	10-42, 5607, UF-0015	Single Lip Seal	1.750	2.312	Dex 2,800 lb Axles
19-168233	168233, AD2527N	Double Lip Seal	1.688	2.332	Unique #84 Hubs UFP
19-168255	168255TB, AD2528N, NAT 470460	Double Lip Seal	1.687	2.561	EZ-Loader Marine Hubs Tie-Down Eng.
19-10-40	10-40, AF2812N	Double Lip Seal	1.938	2.510	MHU Axles
19-172	10-19, 10-04, AD2543P, CR17146, 58846, NAT 473336, 442251	Double Lip Seal	1.719	2.565	E-Z Lube 3,500 lbs
19-3135	10-36, 10-54, 42385, AD3135N, CR22532, 22333, 363497	Double Lip Seal	2.250	3.376	E-Z Lube 5.2K-7K Axles
19-7172	10-10, AD7172N, AD7131, 470972, GS2125, 10-001, 21333	Double Lip Seal	2.125	3.376	E-Z Lube 5.2K-7K Axles
19-21325	AD7131N, 326213	Double Lip Seal	2.12	3.26	EZ-Load 6 Lug
19-10-063	10-63, 09103320, SEU-300	Unitized Oil Seal	2.250	3.376	Dex 8K (&9K 'til 10/89)
19-10-51	10-51, 370150, AP07304, SEU-600	Unitized Oil Seal	2.875	3.880	Dex 9K, 10K GD
19-10-56	10-56, 370014B, OB3145059TCM, SEU-100, 091023 Hayes	Unitized Oil Seal	3.125	4.500	Dex 10K, 12K, 15K & Hayes
19-091030	91030, 27438, SEU-400	Unitized Oil Seal	2.750	3.779	Hayes #99 Spindle

**Information is for reference purposes only and are not guaranteed*

GREASE/DUST CAPS



A



B



C



D

PART #	DESCRIPTION	DIMENSIONS	REFERENCE #	STYLE
20-1503	1.78" Dust Cap	1.78" x 1.30"	DICO	A
20-1505	1.99" Dust Cap	1.99" x 1.20"	21-3	A
20-EZ199	1.99" Lubed Dust Cap & Plug	1.99" x 1.20"	21-41	B
20-4159	2.33" Dust Cap	2.33" x 1.00"	DICO	A
20-1510	2.44" Dust Cap	2.45" x 1.34"	21-1	A
20-EZ245	2.44" Lubed dust Cap & Plug	2.45" x 1.52"	21-42	B
20-1605	2.72" Dust Cap	2.72 x 1.28"	21-39	C
20-EZ272	2.72" Lubed Dust Cap & Plug	2.72 x 1.52"	21-43	B
20-085-001	Rubber Lube Plug (fits 1.18" hole on lubed dust caps). <i>See top of picture "B"</i>	1.18"	85-1	Rubber Plug
20-K71-644	Nev-R-Lube 33MM (PAIR)	N/A	21-84	D
20-K71-643	Nev-R-Lube 42MM (PAIR)	N/A	21-85	D
20-K71-642	Nev-R-Lube 50MM (PAIR)	N/A	21-86	D

OIL CAPS & REPLACEMENT PARTS



PART #	DESCRIPTION	FITS
28-K71-038	Oil Cap, O-Ring & Plug Kit (2-pack)	Dexter 6K & 8K Screw In, 2-7/8"-12 Thread
28-K71-148	Oil Cap, O-Ring & Plug Kit (2-pack)	Dexter 9K After 1989, 10K, 12K & 15K, 4"-12 Thread
28-K71-704	Oil Cap, O-Ring & Plug (2-pack)	Dexter 1 piece 9-10K
20-K568220	Oil Cap, O-Ring & Plug Kit 092124	AL-KO & Hayes 10K-16K Axles
28-046-052	Plug	Dexter Hubs 8K-15K Old Style
28-046-032	Plug for Oil Cap	Dexter Oil Caps
28-010-059	O-Ring	040 Oil Caps
28-010-045	O-Ring	022/035 Dexter Oil Caps
28-010-050	O-Ring	036 & 036 (Dexter) Oil Caps
28-010-163	O-Ring	Dexter 088 Cap (1 piece 9-10K Hub Drum)
29-092126	Plug	AL-KO & Hayes 10K-16K Oil Caps
29-10693	O-Ring	AL-KO & Hayes 10K-16K Oil Caps
29-568297	Gasket	AL-KO & Hayes (4.13OD x 3.56ID) 10K-16K Oil Caps

ELECTRIC BRAKES

PART#	DESCRIPTION	CAPACITY (PER PAIR)	STYLE
25-023-047	7" x 1 1/4" Electric Brake Assembly LH	2,000 lbs	A
25-023-048	7" x 1 1/4" Electric Brake Assembly RH	2,000 lbs	A (RH)
25-023-026	10" x 2 1/4" Electric Brake Assembly LH	3,500 lbs	B
25-023-027	10" x 2 1/4" Electric Brake Assembly RH	3,500 lbs	B (RH)
25-023-468	Nev-R-Adjust 10" x 2 1/4" Electric Brake Assembly LH	3,500 lbs	N/S
25-023-469	Nev-R-Adjust 10" x 2 1/4" Electric Brake Assembly RH	3,500 lbs	N/S
25-023-105	12" x 2" Electric Brake Assembly LH	6,000 lbs	C
25-023-106	12" x 2" Electric Brake Assembly RH	6,000 lbs	C (RH)
25-023-458	Nev-R-Adjust 12" x 2" Electric Brake Assembly LH	6,000 lbs	N/S
25-023-459	Nev-R-Adjust 12" x 2" Electric Brake Assembly RH	6,000 lbs	N/S
25-023-180	12" x 2" Electric Brake Assembly LH	7,000 lbs	C (Black Wire)
25-023-181	12" x 2" Electric Brake Assembly RH	7,000 lbs	C (RH) (Black Wire)
25-023-434	12 1/4" x 3 3/8" Electric Brake Assembly LH 4-Bolt	8,000 lbs	D
25-023-435	12 1/4" x 3 3/8" Electric Brake Assembly RH 4-Bolt	8,000 lbs	D (RH)
25-023-450	12 1/4" x 3 3/8" Electric Brake Assembly LH 7-Bolt 10K GD	10,000 lbs	E
25-023-451	12 1/4" x 3 3/8" Electric Brake Assembly RH 7-Bolt 10K GD	10,000 lbs	E (RH)
25-023-438	12 1/4" x 4" Electric Brake Assembly LH 10K Heavy-Duty	10,000 lbs	E
25-023-439	12 1/4" x 4" Electric Brake Assembly RH 10K Heavy-Duty	10,000 lbs	E (RH)
25-023-446	12 1/4" x 5" Electric Brake Assembly LH	15,000 lbs	E
25-023-447	12 1/4" x 5" Electric Brake Assembly RH	15,000 lbs	E (RH)
25-023-531	12 1/4" x 3 1/2" Alko Electric Brake Assembly RH	9,000 lbs – 12,000 lbs	F (RH)
25-023-530	12 1/4" x 3 1/2" Alko Electric Brake Assembly LH	9,000 lbs – 12,000 lbs	F

A



B



C



D



E



F



HYDRAULIC BRAKES

A



Right-Hand 10" Shown

B



Left-Hand 12" Shown

C




Left-Hand 12-1/4" Shown

AJAX PART#	DESCRIPTION	CAPACITY (PER PAIR)	STYLE
25-40715X	10" Hydraulic Brakes Free Back RH Demco	3,500 lbs	A
25-40716X	10" Hydraulic Brakes Free Back LH Demco	3,500 lbs	A
25-42028X	12" Hydraulic Brakes Free Back RH Demco	6,000 lbs	B
25-42029X	12" Hydraulic Brakes Free Back LH Demco	6,000 lbs	B
25-023-411	12-1/4" X 3-3/8" Hydraulic Brake RH Dexter	9,000 lbs- 10,000lbs GD	C
25-023-410	12-1/4" X 3-3/8" Hydraulic Brake LH Dexter	9,000 lbs- 10,000lbs GD	C

WHEEL STUDS

DRIVE IN



PART #	A THREAD DIAMETER	B STUD LENGTH	C SPLINE LENGTH	D BASE LENGTH	E SPLINE DIAMETER	FITS
42-0698500	1/2"-20	1.21"	0.25	0.28	0.56	TITAN
42-0508101	1/2"-20	1.61"	0.38	0.45	0.62	TITAN
42-502	1/2"-20	1.78"	0.44	0.51	0.54	RELIABLE
42-007-122	1/2"-20	1.99"	0.62	0.73	0.61	DEXTER
42-9251525	1/2"-20	1.81"	0.26	0.55	0.54	AL-KO/ RELIABLE
42-007-246	1/2"-20	1.95"	0.26	0.61	0.54	DEXTER
42-LB2.0	1/2"-20	2"	0.38	0.52	0.545	KODIAK
42-9251512	1/2"-20	2.50"	0.68	1.20	0.54	AL-KO
42-007-262	1/2"-20	2.70"	0.68	1.38	0.54	DEXTER
42-007-223	9/16"-18	2"	0.31	0.75	0.69	DEXTER
42-007-132	9/16"-18	2.31"	0.31	0.81	0.69	DEXTER
42-007-232	5/8"-18	2.75"	0.31	1.03	0.69	DEXTER
42-90737*	5/8"-18	3"	.56	0.76	0.68	AL-KO
42-007-115	5/8"-18	3.18"	0.31	1.39	0.69	DEXTER
42-9251513	5/8"-18	3.25"	0.58	1.45	0.67	AL-KO

** Has notch in stud head*

STUD-SCREW IN

PART #	THREAD DIAMETER	OVERALL LENGTH	LUG NUT END LENGTH	HUB END LENGTH
42-025-053	1/2"	2"	1 1/16" FINE	1 3/16" FINE
42-025-011	9/16"	3"	1 9/16" FINE	3/4" COARSE



WHEEL BOLTS/WHEEL NUTS/RIM CLAMPS

WHEEL BOLTS

PART #	THREAD DIAMETER	THREAD LENGTH	HEAD SIZE	DESCRIPTION
40-21255	1/2"	7/8"	1 3/16"	FINE THREAD, 60° CONED
40-LB569	9/16"	1 1/8"	7/8"	FINE THREAD, 90° CONED



WHEEL NUTS/RIM CLAMPS

PART#	DESCRIPTION	STYLE
40-1	Wheel Nut 9/16-18 (Reg. Hex Nut for UTG Drum)	N/S
40-12CLN	Chrome Acorn Nut 13/16	B
40-20501Z	Rim Clamp for MH Type	C
40-21253 Z	1/2" x 13 Dex. Const Blt	D
40-21257	1/2"- 13 Wheel Bolt MH	D
40-21260	Const. 1/2"-20x1-7/8	D
40-23005	1/2-20 Cone Nut Wheel	A
42-006-109	5/8" Cone Nut 90°	A
28-006-058	5/8" Flange Nut	E
28-006-053	9/16"-18 Cone Nut 60°-7/8" Head	A
28-006-060	9/16"-18 Cone Nut 90°-7/8" Head	A



Each Item Sold In Individual Units

AXLES 1000-2200 LBS CAPACITY

Axle Types

1000-2200 Lbs. Capacity

- Complete service manual
- Heavy duty 1 1/8" spindle design
- Precision machined steel spindles and integral cast iron hub/drums
- CSA approved 7" x 1 1/4" electric and 7" x 1 3/4" hydraulic brakes
- Electric brakes are available with and without parking feature
- Standard grease lubrication; E-Z Lube® option
- Press-in wheel studs
- Inner wiring system for easier installation and protection of brake wiring



D20 LEAF SPRING




- Designed for light-capacity trailers
- Designed for travel trailers being towed by smaller automobiles
- High strength 1 3/4" diameter tube for straight axles and 2 3/8" for drops
- Straight or Drop spindles (4" drop only)
- High quality alloy steel springs in a variety of capacities
- Single, tandem, or triple axle assemblies with equalized suspensions
- Slipper spring or double eye leaf spring suspension
- Optional hanger and attaching parts kits available
- Durable, wear-resistant components
- 2 year limited warranty

- Designed for fold-down campers, light utility, boat trailer applications
- Totally rubber-cushioned for smooth, quiet, independent ride
- Easy installation with less maintenance
- Less transfer of road shock which insulates cargo from road shocks and vibration
- Rubber cords compounded for maximum dependability and durability
- Load-carrying cross member
- Self-damping action
- Independent wheel suspension system
- 5 year limited warranty on suspension system
- Low profile for maximum road clearance
- Various starting angles to control trailer height
- High and low profile brackets with optional mounting brackets available
- Rubber cushioning eliminates metal-to-metal contact
- Shock absorption provided by the natural hysteresis of rubber
- Single or tandem axle assemblies
- Durable, wear-resistant components

CAUTION: Triple axle assemblies are NOT recommended for Torflex® axles.

HUB GROUP 1000-2200 LBS CAPACITY



GREASE LUBE PARTS

ITEM #	AJAX PART #	DESCRIPTION
1	19-122	Grease Seal for E-Z Lube® 1.25" ID
1A	19-2267	Grease Seal for E-Z Lube® 1.50" ID
2	17-44649	L44649 Inner Bearing Cone
3	18-44610	L44610 Inner Bearing Cup
4	18-44610	L44610 Outer Bearing Cup
5	17-44649	L44649 Outer Bearing Cone
6	21-1000	Spindle Nut
7	34-100	Cotter Pin (not used w/ E-Z Lube®)
8	20-1505	Grease Cap
8A	20-EZ199	Grease Cap for E-Z Lube®
8B	20-085-001	Rubber Plug for E-Z Lube®
9	40-21255	Wheel Bolt
11	21-7709631	Tang Washer for E-Z Lube® (before 2002)
11A	21-1000D	Spindle Washer for E-Z Lube® (before 2002)
12	21-1000D	Spindle Washer for E-Z Lube® (after 2002)
29	21-006-190	Spindle Nut Retainer for E-Z Lube® (after 2002)
30	21-006-191	Special Jam Nut for E-Z Lube®(after 2002)


10" X 2-1/4" BRAKES

ITEM #	AJAX PART #	DESCRIPTION
20	25-023-047	LH 7" x 1-1/4" Electric
20	25-023-048	RH 7" x 1-1/4" Electric

STUDS & WHEEL NUTS

ITEM #	AJAX PART #	DESCRIPTION
9	40-21255	1/2-20 Wheel Bolt
13	40-23005	1/2-20 60° Cone Nut
28	42-007-246	1/2-20 Press-in Stud

HUB GROUP 1000-2200 LBS CAPACITY (Continued)



HUBS & DRUMS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
ns	8-173-16	1/2" Studs, Electric Brakes Only	4 on 4.00
ns	8-276-05	1/2" Studs, Hyd. Brakes Only	4 on 4.00
26A	8-257-05	1/2" Studs, Electric Brakes Only	5 on 4.50
26B	8-271-07	1/2" Studs, Hyd. Brakes Only	5 on 4.50
27	8-173-15	1/2" Tapped, Electric Brakes Only	4 on 4.00
ns	8-257-04	1/2" Tapped, Electric Brakes Only	5 on 4.50
ns	8-271-04	1/2" Tapped, Hyd. Brakes Only	5 on 4.50

PLAIN HUBS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
ns	8-091-05	1/2" Studs	4 on 4.00
24	8-091-04	1/2" Tapped	4 on 4.00
25A	8-259-05	1/2" Studs, 8"-12" Wheels Only	5 on 4.50
25B	8-258-05	1/2" Studs, 13"-15" Wheels Only	5 on 4.50
ns	8-259-04	1/2" Tapped, 8"-12" Wheels Only	5 on 4.50
ns	8-258-04	1/2" Studs, 13"-15" Tapped Only	5 on 4.50

AXLES 2300-3500 LBS CAPACITY

Axle Types

2300-3500 Lbs. Capacity

- Complete service manual
- Precision machined steel spindles and integral cast iron hub/drums
- Press-in wheel studs
- 10" x 1½" and 10" x 2¼" CSA approved electric brakes, CSA approved uni-servo and free backing hydraulic brakes
- Electric and hydraulic brakes are available with and without parking feature
- Hydraulic free backing brakes available
- Hydraulic disc brakes available
- Standard grease lubrication; E-Z Lube® option
- Inner wiring system for easier installation and protection of brake wiring



- Totally rubber-cushioned for smooth, quiet, independent ride
- Easy installation with less maintenance
- Less transfer of road shock which insulates cargo from road shocks and vibration
- Rubber cords compounded for maximum dependability and durability
- Load-carrying cross member
- Self-damping action
- Independent wheel suspension system
- 5 year limited warranty on suspension system
- Low profile for maximum road clearance
- Various starting angles to control trailer height
- High and low profile brackets with optional mounting brackets available
- Rubber cushioning eliminates metal-to-metal contact
- Shock absorption provided by the natural hysteresis of rubber
- Single or tandem axle assemblies
- Durable, wear-resistant components

D30 & D35 LEAF SPRING




- Straight or Drop spindles (3") D30
- Straight or Drop spindles (4" and 6" drop) D35
- High strength 2⅝" diameter tube
- High quality alloy steel springs in a variety of capacities
- Single, tandem, or triple axle assemblies with equalized suspensions
- Slipper spring or double eye leaf spring suspension
- Optional hanger and attaching parts kits available
- Durable, wear-resistant components
- 2 year limited warranty



CAUTION: Triple axle assemblies are NOT recommended for Torflex® axles.

HUB GROUP 2300-3500 LBS CAPACITY



GREASE LUBE PARTS

ITEM #	PART #	DESCRIPTION
1	19-172	Grease Seal E-Z Lube® 1.72" I.D.
1A	19-168256	Grease Seal for E-Z Lube® 1.68" I.D.
2	17-68149	L68149 Inner Bearing Cone
3	18-68111	L68111 Inner Bearing Cup
4	18-44610	L44610 Outer Bearing Cup
5	17-44649	L44649 Outer Bearing Cone
6	21-1000	Spindle Nut
7	34-100	Cotter Pin
8	20-1505	Grease Cap
8A	20-EZ199	Grease Cap for E-Z Lube®
8B	21-085-001	Rubber Plug for E-Z Lube®
9	21-1000D	Spindle Washer D
28	21-006-190	Special Jam Nut for E-Z Lube®(after 2002)
29	21-006-191	Spindle Nut Retainer for E-Z Lube® (after 2002)


10" X 2-1/4" BRAKES

ITEM #	PART #	DESCRIPTION
ns	K23-468/K23-469	LH/RH Electric Nev-R-Ajust®
20	K23-026/K23-027	LH/RH Electric
ns	K23-086/K23-087	LH/RH Electric w/Park
ns	K23-312/K23-313	LH/RH Hydraulic Uni-servo
ns	K23-330/K23-331	LH/RH Hydraulic Uni-servo w/Park
ns	K23-310/K23-311	LH/RH Hydraulic Duo-servo w/Park
ns	K23-400/K23-401	LH/RH Hydraulic Duo-servo w/Park
ns	K23-344/K23-345	LH/RH Hydraulic Free Backing

STUDS & WHEEL NUTS

ITEM #	PART #	DESCRIPTION
10	42-007-122	1/2-20 Pressed Wheel Stud
13	40-23005	1/2-20 60° Cone Nut

HUB GROUP 2300-3500 LBS CAPACITY (*Continued*)



10" HUBS & DRUMS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
24	8-247-05	1/2" Stud	5 on 4.50
24	8-249-07	1/2" Stud	5 on 5.00
24	8-249-05	1/2" Stud	5 on 5.50
24	8-247-12	1/2" Stud	5 on 4.75
26	8-250-05	1/2" Stud	6 on 5.50

PLAIN HUBS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
25	8-248-05	1/2" Stud	5 on 4.50
25	8-248-10	1/2" Stud	5 on 4.75
25	8-256-07	1/2" Stud	5 on 5.00
25	8-256-05	1/2" Stud	5 on 5.50
27	8-251-05	1/2" Stud	6 on 5.50

Hubs are available with or without bearings, seal, grease cap and lug nuts.

AXLES 3600-6000 LBS CAPACITY

Axle Types

3600-6000 Lbs. Capacity

- Complete service manual
- Precision machined steel spindles and integral cast iron hub/drums
- Press-in wheel studs
- 10" x 2¼" CSA approved electric brakes
- 12" x 2" CSA approved electric brakes
- 12" x 2" hydraulic brakes
- Electric and hydraulic brakes are available with and without parking feature
- Hydraulic free backing brakes are available
- Inner wiring system for easier installation and protection of brake wiring
- Standard grease lubrication; E-Z Lube® or Nev-R-Lube® option



- Totally rubber-cushioned for smooth, quiet, independent ride
- Easy installation with less maintenance
- Less transfer of road shock which insulates cargo from road shocks and vibration
- Rubber cords compounded for maximum dependability and durability
- Load-carrying cross member
- Self-damping action
- Independent wheel suspension system
- 5 year limited warranty on suspension system
- Low profile for maximum road clearance
- Various starting angles to control trailer height
- High and low profile brackets with optional mounting brackets available
- Rubber cushioning eliminates metal-to-metal contact
- Shock absorption provided by the natural hysteresis of rubber
- Single or tandem axle assemblies
- Durable, wear-resistant components

CAUTION: Triple axle assemblies are NOT recommended for Torflex® axles.

D44, D52 & D60 LEAF SPRING



- High strength 3" diameter tube
- Straight or Drop spindles (4" drop only)
- High quality alloy steel springs in a variety of capacities
- Single, tandem, or triple axle assemblies with equalized suspensions
- Slipper spring or double eye leaf spring suspension
- Optional hanger and attaching parts kits available
- Durable, wear-resistant components
- 2 year limited warranty



AXLES 5200-7000 LBS CAPACITY

Axle Types

5500-7000 Lbs. Capacity

- Complete service manual
- Precision machined, forged steel spindles
- Precision machined integral cast iron hub/drums
- 8-bolt and 5 bolt (UTG) hubs available
- Standard grease; optional oil bath; E-Z Lube® or Nev-R-Lube® option
- Press-in wheel studs (8-bolt)
- 12" x 2" electric brakes, CSA approved at 7000 lbs, 12" x 2" hydraulic brakes
- Brakes are available with and without parking feature
- Hydraulic free backing brakes available
- Hydraulic brakes - uni-servo and duo-servo available



D60 & D70 LEAF SPRING




- High quality alloy steel springs in a variety of capacities
- Single, tandem, or triple axle assemblies with equalized suspensions
- Slipper spring or double eye leaf spring suspension
- Optional hanger and attaching parts kits available
- Durable, wear-resistant components
- Inner wiring system for easier installation and protection of brake wiring
- Heavy wall 3" diameter tube
- Straight or Drop spindles (4" drop only)
- 2 year limited warranty

- Totally rubber-cushioned for smooth, quiet, independent ride
- Easy installation with less maintenance
- Less transfer of road shock which insulates cargo from road shocks and vibration
- Self-damping action
- Load-carrying cross member
- Rubber cords compounded for maximum dependability and durability
- Independent wheel suspension system
- 5 year limited warranty on suspension system
- Low profile for maximum road clearance
- Various starting angles to control trailer height
- High and low profile brackets with optional mounting brackets are available
- Rubber cushioning eliminates metal-to-metal contact
- Shock absorption provided by the natural hysteresis of rubber
- Single or tandem axle assemblies
- Durable, wear-resistant components

CAUTION: Triple axle assemblies are NOT recommended for Torflex® axles.

HUB GROUP 5200-7000 LBS CAPACITY




GREASE LUBE PARTS

ITEM #	PART #	DESCRIPTION
1	19-3135	Grease Seal 2.25"
1	19-3135	E-Z Lube® Seal 2.25"
2	17-25580	25580 Inner Bearing Cone
3	18-25520	25520 Inner Bearing Cup
4	18-14276	14276 Outer Bearing Cup-865 Hub
4A	18-15245	15245 Outer Bearing Cup-Demountable
5	17-14125	14125A Outer Bearing Cone-865 Hub
5A	17-15123	15123 Outer Bearing Cone-Demountable
6	21-1000	Spindle Nut
7	34-100	Cotter Pin (not used with E-Z Lube®)
8	20-1605	Grease Cap-865 Hub
8A	20-1510	Grease Cap-Demountable
8B	20-EZ272	Grease Cap for E-Z Lube®-865 Hub
8D	20-085-001	E-Z Lube® Rubber Plug
9	21-1000D	Spindle Washer
16	40-1	9/16-18 Nut for Rim Clamp
23	40-2050	Rim Clamp
29	21-006-190	Special Jam Nut for E-Z Lube®(after 2002)
30	21-006-191	Spindle Nut Retainer for E-Z Lube®(after 2002)

OIL LUBE PARTS

ITEM #	PART #	DESCRIPTION
1	19-10-36	Oil Seal 2.25"
2	17-25580	25580 Inner Bearing Cone
3	18-25520	25520 Inner Bearing Cup
4	18-14276	14276 Outer Bearing Cup-865 Hub
4	18-15245	15245 Outer Bearing Cup-Demountable
5	17-15123	15123 Outer Bearing Cone
5	17-14125A	14125A Outer Bearing Cone
6	21-1000	Spindle Nut
7	34-100	Cotter Pin
8E	20-021-035	Oil Cap-865 Hub
ns	20-021-040	Oil Cap-Demountable
8F	28-046-052	Oil Plug
9	21-1000D	Spindle Washer
14	21-046-052	Oil Filler Plug-865 & Demountable
ns	046-032	Oil Cap Plug
16	40-1	9/16-18 Nut for Rim Clamp
23	40-2051	Rim Clamp
28	20-010-045	865 'O' Ring
ns	20-010-059	Demountable 'O' Ring

HUB GROUP 5200-7000 LBS CAPACITY (Page 2)



10" X 2-1/4" BRAKES

ITEM #	PART #	DESCRIPTION
20	K23-105/K23-106	LH/RH Electric 6K
ns	K23-112/K23-113	LH/RH Electric w/Park
ns	K23-326/K23-327	LH/RH Electric 6K CSA
ns	K23-328/K23-329	LH/RH Electric 6K CSA w/Park
ns	K23-180/K23-181	LH/RH Electric 7K
ns	K23-338/K23-339	LH/RH Hydraulic Uni-servo 7K
ns	K23-334/K23-335	LH/RH Hydraulic Uni-servo 7K w/Park
ns	K23-336/K23-337	LH/RH Hydraulic Duo-servo 7K
ns	K23-332/K23-333	LH/RH Hydraulic Duo-servo 7K w/Park
ns	K23-342/K23-343	LH/RH Hydraulic Uni-servo 7K FB
ns	K23-340/K23-341	LH/RH Hydraulic Uni-servo 7K FB w/park
ns	K23-342-01/K23-343-01	LH/RH Hydraulic Uni-servo 7K FB
ns	K23-340-01/K23-341-01	LH/RH Hydraulic Uni-servo 7K FB w/park
ns	K23-458/K23-459	LH/RH Electric Nev-R-Ajust®
ns	K23-466/K23-467	LH/RH Electric 6K CSA Nev-R-Ajust®

PLAIN HUBS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
26	8-231-09	Grease 1/2" Stud	8 on 6.50
26	8-231-18	Grease 9/16" Stud	8 on 6.50
26	8-231-20	Grease 5/8" Stud	8 on 6.50
26	8-231-16	Oil 1/2" Stud	8 on 6.50

STUDS & WHEEL NUTS

ITEM #	PART #	DESCRIPTION
10	42-025-011	9/16-18 Stud UTG
11	42-007-122	1/2-20 x 1.84 Long Press-in Stud (hubs before 01/04)
11	42-007-262	1/2-20 x 2.50 Long Press-in Stud (hubs before 01/04)
12	40-23005	1/2-20 60° Cone Nut
ns	42-007-132	9/16-18 Press-in Stud
ns	28-006-053	9/16-18 60° Cone Nut
ns	42-007-232	5/8-18 Press-in Stud
ns	42-006-109	5/8-18 60° Cone Nut

HUBS & DRUMS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
24	8-174-05	Grease 9/16" Stud	Demountable
24	8-174-06	Oil 9/16" Stud	Demountable
25	8-219-04	Grease 1/2" Stud	8 on 6.50
25	8-219-13	Grease 9/16" Stud	8 on 6.50
25	8-219-18	Grease 5/8" Stud	8 on 6.50
25	8-219-09	Oil 1/2" Stud	8 on 6.50
25	8-219-20	Oil 9/16" Stud	8 on 6.50
25	8-219-26	Oil 5/8" Stud	8 on 6.50

AXLES 8000 LBS CAPACITY

Axle Types

8000 Lbs. Capacity

- Complete service manual
- Precision machined steel spindles and integral cast iron hub/drums
- Standard oil bath lubrication; grease or Nev-R-Lube® option
- Press-in wheel studs, $\frac{9}{16}$ " or $\frac{5}{8}$ "
- Hydraulic brakes are available with and without parking feature
- Hydraulic brakes – uni-servo and duo-servo available
- Hydraulic disc brakes available
- $12\frac{1}{4}$ " x $3\frac{3}{8}$ " self adjusting electric and hydraulic brakes
- Inner wiring system for easier installation and protection of brake wiring
- Heavy wall $3\frac{1}{2}$ " diameter tube
- Straight or Drop spindles (4" drop only)
- High quality alloy steel springs in a variety of capacities
- Single, tandem or triple axle assemblies with equalized suspensions

D80 LEAF SPRING




- Slipper leaf spring suspension
- Heavy duty suspension parts available
- Optional rubber bushed suspension
- Optional hanger and attaching parts kits available
- Durable, wear-resistant components
- 2 year limited warranty



- Totally rubber-cushioned for smooth, quiet, independent ride
- Easy installation with less maintenance
- Less transfer of road shock which insulates cargo from road shocks and vibration
- Rubber cords compounded for maximum dependability and durability
- Load-carrying cross member
- Self-damping action
- Independent wheel suspension system
- 5 year limited warranty on suspension system
- Low profile for maximum road clearance
- Various starting angles to control trailer height
- High and low profile brackets with optional mounting brackets are available
- Rubber cushioning eliminates metal-to-metal contact
- Shock absorption provided by the natural hysteresis of rubber
- Single or tandem axle assemblies
- Durable, wear-resistant components

CAUTION: Triple axle assemblies are NOT recommended for Torflex® axles.

HUB GROUP 8000 LBS CAPACITY



GREASE LUBE PARTS

ITEM #	PART #	DESCRIPTION
1	19-3135	Seal (10-36)
2	17-25580	25580 Inner Bearing Cone 31-30-1
3	18-25520	25520 Inner Bearing Cup 31-30-1
4	18-02420	02420 Outer Bearing Cup 31-28-1
5	17-02475	02475 Outer Bearing Cone 31-28-2
6	21-1000	Spindle Nut
7	34-100	Cotter Pin (not used with E-Z Lube®)
ns	20-1605	Grease Cap
8A	20-EZ272	Grease Cap for E-Z Lube®
8B	20-085-001	E-Z Lube® Rubber Plug
9	21-1000D	Spindle Washer
28	21-006-190	Special Jam Nut for E-Z Lube®(after 2002)
29	21-006-191	Spindle Nut Retainer for E-Z Lube®(after 2002)

OIL LUBE PARTS

ITEM #	PART #	DESCRIPTION
1	19-10-063	Seal (Utilized) 10-63
2	17-25580	25580 Inner Bearing Cone 31-30-1
3	18-25520	25520 Inner Bearing Cup 31-30-1
4	18-02420	02420 Outer Bearing Cup 31-28-1
5	17-02475	02475 Outer Bearing Cone 31-28-2
6	21-1000	Spindle Nut
7	34-100	Cotter Pin
8C	21-021-035	Oil Cap
8D	28-046-032	Oil Cap Plug
9	21-1000D	Spindle Washer
ns	28-20-046-052	Oil Filler Plug
16	28-20-010-045	'O' Ring for Oil Lube


STUDS & WHEEL NUTS

ITEM #	PART #	DESCRIPTION
12	28-006-053	9/16-18 60° Cone Nut
12	28-006-109	5/8-18 90° Cone Nut
18	42-007-132	9/16-18 Press-in Stud
18	42-007-232	5/8-18 Press-in Stud
ns	28-006-058	5/8-18 Flange Nut

12-1/4" X 3-3/8" BRAKES

ITEM #	PART #	DESCRIPTION
10	28-036-115-20	Dust Shield
20	K23-434/K23-435	LH/RH Electric Self-Adjust

HUB GROUP 8000 LBS CAPACITY (*Continued*)




HUBS & DRUMS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
24	8-285-08	Grease 5/8" Stud	8 on 6.50
24	8-285-15	Grease 5/8" Stud ABS	8 on 6.50
24	8-285-11	Grease 9/16" Stud	8 on 6.50
24	8-285-13	Grease 9/16" Stud ABS	8 on 6.50
24	8-285-10	Oil 5/8" Stud	8 on 6.50
24	8-285-14	Oil 5/8" Stud ABS	8 on 6.50
24	8-285-09	Oil 9/16" Stud	8 on 6.50
24	8-285-12	Oil 9/16" Stud ABS	8 on 6.50

PLAIN HUBS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
ns	8-287-07	Grease 5/8" Stud	8 on 6.50
ns	8-287-11	Grease 9/16" Stud	8 on 6.50
ns	8-287-14	Oil 9/16" Stud	8 on 6.50
ns	8-287-17	Oil 5/8" Stud	8 on 6.50

HUB GROUP 8000 LBS CAPACITY NEV-R-LUBE



NEV-R-LUBE® PARTS 50MM

ITEM #	PART #	DESCRIPTION
3	28-005-149	Spindle Washer
4	28-006-183	Spindle Nut
5	28-092-002	Washer, Torque Label
6	28-069-096	Snap Ring
8	20-021-086	Grease Cap

12-1/4" X 3-3/8" BRAKES

ITEM #	PART #	DESCRIPTION
10	28-036-115-20	Dust Shield
20	K23-434/K23-435	LH/RH Electric Self-Adjust

WHEEL NUTS


ITEM #	PART #	DESCRIPTION
12	28-006-053	9/16-18 60° Cone Nut
ns	28-006-109	5/8-18 90° Cone Nut

HUBS WITH BEARING AND WHEEL STUDS

ITEM #	PART #	DESCRIPTION	BOLT CIRCLE
24	8-389-81	Hub & Drum Includes: 9/16 Press-In Studs (Part # 007-223-00) 50mm Bearing Cartridge (Part # 031-071-03) Bearing Retainer (Part # 069-093-00)	8 on 6.50
ns	8-389-80	Hub & Drum Includes: 9/16 Press-In Studs (Part # 007-224-00) 50mm Bearing Cartridge (Part # 031-071-03) Bearing Retainer (Part # 069-093-00)	8 on 6.50

SECTION J:

SUSPENSION



AXLE U-BOLT TIE PLATES

PART #	STYLE	TUBE DIAMETER	SPRING WIDTH	BOLT SIZE
12-R100-TP	A	1.75"	1.75"	.50"
12-R100-TP2	A	1.75"	1.75"	.38"
12-1179594	A	2.00" SQ	2"	.50"
12-R200-TP	B	2.38"	1.75"	.50"
12-012-004	B	2.38"	2.00"	.50"
12-012-001	B	3.00"	1.75"	.50"
12-R300-TP	B	3.00"	2.00"	.50"
12-012-037	B	3.50"	2.00"	.56"
12-012-042	C	4.00"	2.00"	.63"
12-012-049	B	5.00"	2.50"	.63"
12-012-046	C	5.00"	3.00"	.75"
12-012-053	C	5.00"	3.00"	.63"




AXLE U-BOLT KITS



**Kit includes 2 Tie Plates & 4 U-Bolts w/Nuts*


PART #	DESCRIPTION
12-K1	U-Bolt Kit: Fits 1-3/4" Tube, 1-3/4" Wide Spring & 3/8" Diameter U-Bolt
12-K112	U-Bolt Kit: Fits 1-3/4" Tube, 1-3/4" Wide Spring & 1/2" Diameter U-Bolt
12-K2	U-Bolt Kit: Fits 2-3/8" Tube, 1-3/4" Wide Spring & 1/2" Diameter U-Bolt
12-K3	U-Bolt Kit: Fits 3" Tube, 2" Wide Spring & 1/2" Diameter U-Bolt
12-K4	U-Bolt Kit: Fits 3" Tube, 1-3/4" Wide Spring & 1/2" Diameter U-Bolt

AXLE U-BOLTS-ROUND




PART #	FITS TUBE DIAMETER	THREAD SIZE	DIMENSIONS		
			A	B	C
12-011-054	1.75"	3/8"-24	1.81"	4.29"	2.00"
12-R100-UB	1.75"	1/2"-20	1.81"	4.29"	2.00"
12-854-8208	1.75"	1/2"-20	1.81"	4.88"	2.00"
12-011-075	2.38"	7/16"-20	2.44"	5.13"	2.00"
12-R200-UB	2.38"	1/2"-20	2.44"	5.50"	2.00"
12-011-022	2.38"	1/2"-20	2.44"	6.25"	3.00"
12-011-049	3.00"	1/2"-20	3.00"	5.50"	2.00"
12-R300-UB	3.00"	1/2"-20	3.09"	6.50"	2.00"
12-73260	3.00"	1/2"-20	3.09"	7.00"	2.00"
12-300700-5	3.00"	9/16"-18	3.09"	7.00"	3.00"
12-011-065	3.50"	9/16"-18	3.56"	8.00"	2.00"
12-011-064	4.00"	5/8"	4.09"	8.50"	2.00"
12-011-077	5.00"	5/8"	5.06"	9.00"	2.00"
12-011-070	5.00"	3/4"	5.06"	9.31"	1.75"

U-BOLTS-SQUARE



PART #	FITS TUBE WIDTH	THREAD SIZE	DIMENSIONS	
			A	B
12-854-8217	1.75" SQ	1/2"-20	1.75"	4.5"
12-7158	2" SQ.	3/8"-16	2-1/16"	3"
12-7163	2" SQ.	3/8"-16	2-1/8"	2-1/2"
12-7164	2" SQ.	3/8"-16	2-1/8"	3-1/2"
12-7165	2" SQ	3/8"-16	2-1/8"	4"
12-7166	2" SQ.	3/8"-16	2-1/8"	5"
12-7167	2" SQ.	3/8"-16	2-1/8"	6"
12-7172	2" SQ.	3/8"-16	2-1/8"	5-1/2"
12-7174	3" SQ.	3/8"-16	3-1/8"	2-1/2"
12-7175	3" SQ.	3/8"-16	3-1/8"	3"
12-7178	3" SQ.	3/8"-16	3-1/8"	5"
12-7180	4" SQ.	3/8"-16	4-1/8"	3"
12-7181	4" SQ.	3/8"-16	4-1/8"	4"
12-9146	2" SQ.	1/2"-13	2-1/8"	4-1/2"
12-9154	2" SQ.	1/2"-13	2-1/8"	4"
12-9156	2" SQ.	1/2"-13	2-1/8"	5"
12-9157	2" SQ.	1/2"-13	2-1/8"	6"
12-9159	2" SQ.	1/2"-13	2-1/8"	7"
12-011-066	2" SQ.	1/2"-13	2-1/8"	7"
12-9164	3" SQ.	1/2"-13	3-1/8"	4"
12-9165	3" SQ.	1/2"-13	3-1/8"	5"
12-9166	3" SQ.	1/2"-13	3-1/8"	6"
12-9169	3" SQ.	1/2"-13	3-1/8"	7"
12-9148	3" SQ.	1/2"-13	3-1/8"	8"


1-3/4" WIDE SPRINGS: DOUBLE EYE



**Use 9/16" Spring Bolts*

PART#	NUMBER OF LEAVES	FREE LENGTH A	FREE ARCH B	CAPACITY (POUNDS)	REFERENCE NUMBER
10-169	3	20.38"	3.18"	1,000	DE-7217
10-167	4	20.5"	3.38"	1,400	DE-7213
10-216	3	23.13"	3.50"	1,750	DE-729
10-222	6	24.88"	3.38"	3,500	DE-7227
10-219	3	25.25"	3.18"	1,250	DE-7222
10-212	4	25.25"	3.00"	1,750	DE-7242
10-220	3	25.25"	3.00"	2,000	DE-7224
10-218	4	25.25"	3.00"	2,500	DE-SW4, 72-25
10-221	4	25.13"	3.13"	3,000	UNA-221
10-223	6	25.25"	3.00"	3,500	UNA-223
10-111	5	25.25"	3.00"	2,900	DE-1764
10-72-40	1	25.25"	3.00"	3,000	72-40
10-124	4	26"	4.12"	1,000	DE-261000
10-050	3	26"	4.25"	1,500	DE-AWS3
10-051	4	26"	4.25"	2,000	DE-AWS4
10-052	5	26"	4.25"	2,500	DE-AWS5
10-210	4	27"	2.88"	2,100	DE-33613
10-142	6	27"	3.25"	3,000	DE-33617

SPRINGS: HOOK-END SLIPPER (HOOK-END)



PART#	SPRING WIDTH	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	CAPACITY (POUNDS)	EYE DIAMETER	REFERENCE NUMBER
10-803T3	2"	4	26.175"	3.00"	2,000	9/16" Nylon	UNA-230
10-231	2"	4	26.50"	3.06"	2,500	9/16" Nylon	100-3T3
10-232	2"	5	26.50"	3.18"	3,500	9/16" Nylon	120-3T3
10-233	2"	7	26.50"	3.00"	4,000	9/16" Nylon	140-3T3
10-E5226	2"	5	26.625"	3.5"	3,000	9/16" Nylon	UNA-160
10-E5115	2"	6	29.5"	3.5"	4,000	9/16" Nylon	UNA-161

SPRINGS: HOOK-END SLIPPER (FLAT-END)



PART#	SPRING WIDTH	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	CAPACITY (POUNDS)	EYE DIAMETER	REFERENCE NUMBER
10-WIC2	1-3/4"	2	24.25"	4.00"	500	9/16" Nylon	n/a
10-WIC3	1-3/4"	3	24.25"	4.00"	750	9/16" Nylon	n/a
10-039	1-3/4"	3	30.00"	4.88"	1,500	9/16" Nylon	UNA-039, WF-3
10-040	1-3/4"	4	30.00"	4.88"	2,000	9/16" Nylon	UNA-040, WF-4
10-72-10-2	2"	6	30.00"	2.00"	4,500	5/8" Rubber	72-10-2
10-72-77	2-1/2"	5	30.00"	4.00"	5,000	7/8" Bronze	72-77
10-72-21	2-1/2"	5	30.00"	2.50"	5,000	3/4" Rubber	72-21
10-93161	2-1/2"	5	32.50"	n/a	5,000	3/4" Rubber	93161
10-72-43	3"	5	30.00"	3.00"	5,000	1" Rubber	72-43
10-72-44	3"	6	30.00"	3.00"	6,000	1" Rubber	72-44

BUSHINGS

PART #	DESCRIPTION			TYPE	REF #	STYLE
	ID	OD	LENGTH			
10-9224	.50"	.875"	1.75"	Nylon	BU1-1508	A
10-9225	.5625"	.875"	1.75"	Nylon	BU1-1568	A
10-9229	.5625"	.6875"	2.00"	Nylon	BU1-2566	A
10-9536	.50"	.6875"	1.75"	Nylon	BU1-1506	A
10-9910-SB	.5625"	1.31"	2.00"	Nylon	14-54-1	D
10-9912-SB	.5625"	.6875"	1.75"	Nylon	BU1-1566	A
10-9914	.5625"	.6875"	1.75"	Bronze	14-77	B
10-91413	.75"	1.75"	2.75"	Rubber/ Steel	91413	C
10-91414	1.00"	2.125	4.00"	Rubber/ Steel	91414	C
10-EQ-12	.89"	1.08"	2.84"	Nylon	Fits 4541 EQ	A
28-014-067	.75"	1.0"	2.5"	Bronze	14-67	B
28-014-069	1.00"	2.06"	3.12"	Rubber/ Steel	14-69	C
28-014-070	1.12"	2.12"	3.75"	Rubber/ Steel	14-70	C
28-014-073-01	.646"	1.375"	2.18"	Rubber/ Steel	14-73-1	E
28-014-074	1.0"	2.11"	3.12"	Rubber/ Steel	14-74	C




SUSPENSION BOLTS

PART #	REF. #	SIZE	LENGTH	GRADE	DESCRIPTION	STYLE
40-38-3	7-7	5/16"-18	3 1/4"	2	Spring Retainer Bolt	B
28-007-095	7-95	1/2"-20	4 1/2"	2	10K, 12K, 15K Spring Retainer Bolt	B
40-21001	9163B	9/16"-18	3"	5	Double Eye Shackle Bolt, Plain Finish	C
40-007-187	7-187	9/16"-18	3"	5	Double Eye Shackle Bolt w/ Grease Zerk	D
40-007-236-01	7-236-1	9/16"-18	3 1/2"	5	Double Eye Shackle Bolt w/ Grease Zerk	D
40-21005	91635B	9/16"-18	3 1/2"	5	Slipper Spring Shackle Bolt	C
28-007-181	7-181	5/8"-11	4"	5	9K Spring Eye Bolt	F
28-007-264	7-264	3/4"-10	4 1/2"	5	10GD Rubber Bushed Spring Eye Bolt	F
28-007-135-2	7-135-2	3/4"-10	4 1/2"	5	10K GD Spring Eye Bolt w/ Grease Zerk	A
29-090747	090747	3/4"-16	4 1/2"	5	10K 12K Hayes Spring Eye Bolt	F
40-24014	7-1-1	7/8"-9	4 5/8"	2	Equalizer Center Bolt w/ Grease Zerk	E
28-007-182	7-182	1"-8	5"	5	9K Equalizer Center Bolt	E
28-007-260	7-260-2	7/8"-9	4 1/2"	2	10K GD Spring Eye Bolt w/ Grease Zerk	A
28-007-169	7-169	1"-8	5 1/2"	5	10K, 12K, 15K Dexter Spring Eye Bolt	F
28-007-136-2	7-136-2	1"-8	5 1/4"	5	10K GD Equalizer Center Bolt w/ Grease Zerk	E
29-090746	090746	1"-14	5 7/8"	5	10K, 12K Hayes Equalizer Center Bolt	E
28-007-170	7-170	1 1/8"-7	6"	5	10K, 12K, 15K Dexter Equalizer Center Bolt	F



CAST EQUALIZERS

All cast equalizers are manufactured from ductile iron. Equalizers are manufactured to industry standards and come finished in black paint.




PART #	REFERENCE #	A	B	C	D
14-13-9	EQ-310	5 1/2"	1 1/2"	9/16"	9/16"
14-R2	EQ-R2	6 1/16"	4"	9/16"	9/16"
14-104	EQ-104	5 3/4"	2"	9/16"	9/16"
14-091356	EQ-356	6 1/8"	2 1/2"	9/16"	9/16"
14-09138604	EQ-458	6 1/4"	2"	3/4"	9/16"
14-EQ-105	EQ-105	6 3/4"	2"	9/16"	9/16"
14-091301	EQ-E1	7 3/4"	2 7/8"	9/16"	9/16"
14-EQ-34	EQ-E34	7 3/4"	2 7/8"	3/4"	9/16"
14-R83	EQ-R83	8"	1 3/4"	3/4"	9/16"
14-R89	EQ-R89	8"	1 3/4"	9/16"	9/16"


STEEL FABRICATED EQUALIZERS

The following steel fabricated equalizers are designed for the use of 2" wide slipper springs in a tandem or triple axle application. The equalizers are made to industry standards.


EQ-1304, EQ-1344, EQ-4541



EQ-1354



PART #	A	B	C	D	E	F	G	Style
14-EQ-1304	11"	3.50"	5.19"	4.63"	.88"	.44"	.56"	1
14-EQ-4541	12"	4"	4.44"	4.75"	.88"	.56"	.56"	1
14-EQ-1344	13"	3.50"	5.94"	5.50"	.88"	.44"	.56"	1
14-EQ-1354	13.88"	3.50"	5.88"	5.75"	.88"	.38"	.56"	2




PART #	DESCRIPTION	A	B	C	D	E	F
14-13-4	EQ for 2" slipper spring	4-3/4"	5-1/2"	5"	9/16"	3/8"	7/8"

SHACKLE LINKS



OLD PART # AJAX	NEW PART # AJAX	DIMENSIONS		REF. #	ID #
		A	D		
13-100	13-200	2.00"	0.22"	18-11	10
13-101	13-225	2.25"	0.22"	115841D	11
13-102	13-256	2.56"	0.22"	18-115	15
13-106	13-275	2.75"	0.22"	N/A	N/A
13-103	13-313	3.13"	0.22"	18-12	12
13-104	13-350	3.50"	0.22"	18-3.5	13
13-018-024	13-018-024	2.25"	0.50"	18-24-1	N/A
13-018-022-01	13-018-022-01	3.12"	0.50"	18-22-1	N/A

SPRING HANGERS – 1 3/4" WIDE SPRINGS




PART #	A	B	C	D	E	F	REFERENCE NUMBER
15-HG144	1.44"	2.06"	1.88"	.23"	3.00"	1.50"	28-6
15-HG200	2.00"	2.63"	1.88"	.23"	3.00"	1.50"	29-8
15-HG246	2.46"	3.09"	1.88"	.23"	3.00"	1.50"	28-3
15-HG325	3.25"	3.87"	1.88"	.23"	3.00"	1.50"	28-5
15-HG350	3.50"	4.12"	1.88"	.23"	3.00"	1.50"	N/A
15-HG362	3.62"	4.24"	1.88"	.23"	3.00"	1.50"	29-31
15-HG425	4.25"	4.87"	1.88"	.23"	3.00"	1.50"	28-4

REAR SPRING HANGERS – 1 3/4" DOUBLE EYE SPRINGS



PART #	TOP TO HOLE CENTER	WIDTH OF HANGER	LENGTH OF HANGER	STYLE
15-H100	1.18"	1.75"	1.50"	A
15-HG101	1.18"	1.75"	1.50"	B
15-H93003X	1.18"	1.75"	3.00"	C

2" WIDE SLIPPER SUSPENSION HANGERS



PART #	A	B	C	DESCRIPTION	REFERENCE NUMBER
15-092820	3.50"	2.25"	4.50"	Front Hanger	n/a
15-092801	4.25"	2.25"	4.88"	Front Hanger	28-1
15-092910	4.00"	3.00"	5.00"	Center Hanger (4" to Hole Center)	H-5.2 SQ
15-029-001	3.50"	3.00"	4.50"	Center Hanger (3 1/2" to Hole Center)	29-1
15-093023	5.00"	2.25"	6.00"	Rear Hanger (3 1/2" to Ride Plate)	H-6-R
15-030-028	5.38"	2.25"	6.00"	Rear Hanger (4" to Ride Plate) *Tube	30-28

Common Dexter Set-up for 2" Slipper Springs

28-01	Front	15-092801
29-01	Center	15-029-001
30-28	Rear	15-030-028

Ajax Trailers, we're behind you all the way!

Visit us at:

www.ajaxtrailers.com

Find us on Facebook



Ajax Trailers, LLC